

Pentland floating offshore wind farm

Volume 2: Offshore EIAR

References



OFFSHORE EIAR (VOLUME 2): MAIN REPORT

REFERENCE LIST

Document Title:	Pentland Floating Offshore Wind Farm Offshore EIAR
Document no.	GBPNTD-ENV-PEN-LI-00001
Project:	Pentland Floating Offshore Wind Farm
Originator Company	Xodus Group Ltd
Revision	01
Originator	Ashleigh Fenton
Date	19.08.2022

Revision History:

Revision	Date	Status	Originator	Reviewed	Approved
01	19.08.2022	Final	AF	PM	PM



OFFSHORE EIAR (VOLUME 2) MAIN REPORT: REFERENCE LIST

- ADAS (2008). Alien species and the Water Framework Directive: using alien species forums to address problems in Scottish catchments. Scottish Natural Heritage Commissioned Report No.299 (ROAME No. R07AC614). https://www.sepa.org.uk/media/163249/alien_species_wfd.pdf [Accessed 13/02/2022].
- Aires, C., González-Irusta, J. M., Watret, R. (2014) Scottish Marine and Freshwater Science Report, Vol 5 No 10, Updating Fisheries Sensitivity Maps in British Waters. <https://www.gov.scot/publications/scottish-marine-freshwater-science-volume-5-number-10-updating-fisheries/> [Accessed 11/02/2022].
- Albert, L., Deschamps, F., Jolivet, A., Olivier, F., Chauvaud, L., and Chauvaud, S. (2020). A current synthesis on the effects of electric and magnetic fields emitted by submarine power cables on invertebrates. *Marine Environmental Research*, 159, 104958. doi:10.1016/j.marenvres.2020.104958
- Allied Maritime Command (2021). Information on Joint Warrior Exercise. <https://mc.nato.int/media-centre/news/2021/nato-ships-train-in-exercise-joint-warrior-211-with-uk-queen-elizabeth-carrier-strike-group> [Accessed 11/04/2022].
- Anatec (2012). Shipping Study of the Pentland Firth and Orkney Waters. Anatec: Aberdeen.
- Anderson, J. M., Clegg, T. M., VÉRAS, L. V. M. V. Q., and Holland, K. N. (2017). Insight into shark magnetic field perception from empirical observations. *Scientific Reports*, 7(1), 11042. doi:10.1038/s41598-017-11459-8
- Anderwald, P., Evans, P.G.H, Canning, C., Hepworth, K., Innes, M., Macdonald, P., Sim, I., Stockin, K. and Weir, C. (2010). Cetaceans of the East Grampian Region. Sea Watch Foundation, Aberdeen. 68pp.
- Andrews, A. and Hunt, G. (2011). Tidal influence on harbor seal foraging activity in the San Juan Islands, WA: Indirect insight on salmon in Cattle Pass. NSF Research Experience for Undergraduates, Summer 2011.
- Andrews, C., Newell, M.A., Harris, M.P., Bennett, S.I., Wanless, S. & Daunt, F. (2020). Diet of common guillemot and razorbill at East Caithness, Buchan Ness to Collieston Coast and Isle of May in 2019. NERC Environmental Information Data Centre.
- Arcadis Ltd (2021). Highland Wind Ltd / Copenhagen Offshore Partners Pentland Floating Offshore Wind Farm Project- Design Report. March 2021.
- Armstrong, Hunter, Fryer, Rycroft & Orpwood (2015). Behavioural Responses of Atlantic Salmon to Mains Frequency Magnetic Fields. Scottish Marine and Freshwater Science Vol 6 No 9. Marine Scotland Science. ISSN: 2043-7722. DOI: 10.7489/1621-1
- Arnould, J. P., J. Monk, D. Ierodiaconou, M. A. Hindell, J. Semmens, A. J. Hoskins, D. P. Costa, K. Abernathy, and G. J. Marshall. (2015). Use of Anthropogenic Sea Floor Structures by Australian Fur Seals: Potential Positive Ecological Impacts of Marine Industrial Development? *PLoS ONE* 10:e0130581.
- Arranz, P., Benoit-Bird, K.J., Southall, B.L., Calambokidis, J., Friedlaender, A.S., and Tyack, P.L. (2018). Risso's dolphins plan foraging dives. *Journal of Experimental Biology*, **221**(4): jeb165209. doi: <https://doi.org/10.1242/jeb.165209> [Accessed 02/02/2022].
- Arso Civil, M., Quick, N., Mews, S., Hague, E., Cheney, B.J., Thompson, P.M. & Hammond, P.S. (2021). Improving understanding of bottlenose dolphin movements along the east coast of Scotland. Final report. Report number SMRUC-VAT-2020-10 provided to European Offshore Wind Deployment Centre (EOWDC), March 2021.
- Austin, R., Hawkes, L., Doherty, P., Henderson, S., Inger, R., Johnson, L., Pikesley, S., Solandt, J-L., Speedie, C. and Witt, M. (2019). Predicting habitat suitability for basking sharks (*Cetorhinus maximus*) in UK waters using ensemble ecological niche modelling. *Journal of Sea Research*, **153**: 101767. doi:10.1016/j.seares.2019.101767.
- Bach, S.S. Skov, H. and Piper, W. (2013). Acoustic Monitoring of Marine Mammals around Offshore Platforms in the North Sea and Impact Assessment of Noise from Drilling Activities. Society of Petroleum Engineers.

- Bailey, H., & Thompson, P. (2010). Effect of oceanographic features on fine-scale foraging movements of bottlenose dolphins. *Marine Ecology Progress Series*, **418**: 223-233.
- Band, W. (2012). Using a collision risk model to assess bird collision risks for offshore wind farms. Report to the Crown Estate Strategic Ornithological Services (SOSS).
- Banhuera-Hinestroza, E., Galatius Jørgensen, G., Kinze, C., Rasmussen, M. & Evans, P. (2009). White beaked dolphin, In Report of ASCOBANS/HELCOM Small Cetacean population structure workshop Held 8-10 October 2007, ASCOBANS, Bonn, Germany. April 2009.
- Banyard, A. C., Lean, F., Robinson, C., Howie, F., Tyler, G., Nisbet, C. & Seekings, J. (2022). Detection of Highly Pathogenic Avian Influenza Virus H5N1 Clade 2.3.4.4b in Great Skuas: A Species of Conservation Concern in Great Britain. *Viruses*, **14(2)**, pp.212.
- Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., & Davidson, N.C., eds. 1996. Coasts and seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus. Peterborough, Joint Nature Conservation Committee. (Coastal Directories Series)
- Baxter, J.M., Boyd, I.L., Cox, M., Donald, A.E., Malcolm, S.J., Miles, H., Miller, B., Moffat, C.F., (Editors) (2011) Scotland's Marine Atlas: Information for the national marine plan. Marine Scotland, Edinburgh. 191pp.
- Beatrice Offshore Wind Farm (BOWL) (2012). BOWL Environmental Statement (ES). <https://marine.gov.scot/sites/default/files/00392805.pdf> [Accessed 19/07/2022].
- Benhemma-Le Gall, A., Graham, I.M., Merchant, N.D., and Thompson, P.M. (2021). Broad-scale responses of harbor porpoises to pile-driving and vessel activities during offshore windfarm construction. *Frontiers in Marine Science*, **8**: 664724.
- Benjamins, S., Harnois, V., Smith, H.C.M., Johanning, L., Greenhill, L., Carter, C. and Wilson, B. (2014). Understanding the potential for marine megafauna entanglement risk from renewable marine energy developments. Scottish Natural Heritage Commissioned Report No. 791.
- Bloomfield, A. and Solandt, J.L. (2008). The Marine Conservation Society Basking Shark Watch 20-year report (1987-2006). Ross on Wye, UK: Marine Conservation Society.
- Blyth-Skyrme (2010). Options and opportunities for marine fisheries mitigation associated with wind farms. Final report for Collaborative Offshore Wind Research Into the Environment contract FISHMITIG09. COWRIE Ltd, London. 125 pp.
- Boehlert, G. W. and Gill, A. B. 2010. Environmental and ecological effects of ocean renewable energy development: a current synthesis. *Oceanography*. 23 (2). 68-81,
- Bolton, M. (2021). GPS tracking reveals highly consistent use of restricted foraging areas by European storm-petrels *Hydrobates pelagicus* breeding at the largest UK colony: implications for conservation management. *Bird Conservation International*, **31(1)**: 35-52.
- Booth, C.G., Embling, C., Gordon, J., Calderan, S.V., and Hammond, P.S. (2013). Habitat preferences and distribution of the harbour porpoise *Phocoena phocoena* west of Scotland. *Marine Ecology Progress Series*, **478**: 273-285. <https://doi.org/10.3354/meps10239> [Accessed 01/01/2022].
- Bowen, D. (2016). *Halichoerus grypus*. The IUCN Red List of Threatened Species (2016): e.T9660A45226042. <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T9660A45226042.en> [Accessed 18/03/2022].
- Boyle, G., New, P. (2018) ORJIP Impacts from Piling on Fish at Offshore Wind Sites: Collating Population Information, Gap Analysis and Appraisal of Mitigation Options. Final report – June 2018. The Carbon Trust. United Kingdom. 247 pp. Link to the report here: <https://prod-drupal-files.storage.googleapis.com/documents/resource/public/ORJIP%20Piling%20Study%20Final%20Report%20Aug%202018%20%28PDF%29.pdf> [Accessed 08/03/2022].
- Bradbury, G., Trinder, M., Furness, B., Banks, A.N., Caldow, R.W.G. & Hume, D. (2014). Mapping seabird sensitivity to offshore wind farms. *Plos One*, **12(1)**: e0170863.

- Braulik, G., Jefferson, T.A. & Bearzi, G. (2021). *Delphinus delphis* (amended version of 2021 assessment). The IUCN Red List of Threatened Species 2021: e.T134817215A199893039. <https://dx.doi.org/10.2305/IUCN.UK.2021-2.RLTS.T134817215A199893039.en> [Accessed 01/06/2022].
- British Geological Survey (BGS) (1987). 1:250,000 Series Seabed Sediments and Quaternary Geology. <https://www.bgs.ac.uk/datasets/marine-sediments-250k/> [Accessed 30/06/2022]
- British Geological Survey (BGS) (2022). BGS Offshore GeoIndex: https://mapapps2.bgs.ac.uk/geoindex_offshore/home.html?_ga=2.53031727.641647902.1655812172-2025367756.1627475166. [Accessed 21/04/2022].
- British Geological Survey (BGS). (2020). Geohazard note - Seismic hazard. <https://www.bgs.ac.uk/download/geohazard-note-seismic-hazard/> [Accessed 30/06/2022]
- British Sea Fishing (2022). Sea Trout. <https://britishseafishing.co.uk/sea-trout/>. [Accessed 03/06/2022]
- Broudic, M., Berggren, P., Laing, S., Blake, L., Pace, F., Neves, S., Voellmy, I., Dobbins, P., Brintjes, R., Simpson, S., Radford, A., Robinson, S. and Lepper P. (2014). Underwater noise emission from the NOAH's drilling operation at the narec site, Blyth, UK. 10.13140/2.1.2419.5844.
- Brownlow, A., Onoufriou, J., Bishop, A., Davison, N., and Thompson, D. (2016). Corkscrew Seals: Grey Seal (*Halichoerus grypus*) Infanticide and Cannibalism May Indicate the Cause of Spiral Lacerations in Seals. *PLoS ONE*, **11**(6): e0156464. doi:10.1371/journal.pone.0156464.
- Burden, A., Smeaton, C., Angus, S., Garbutt, A., Jones, L., Lewis H. D. and Rees. S.M. (2020) Impacts of climate change on coastal habitats relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 228–255.
- Burrows M.T., Kamenos N.A., Hughes D.J., Stahl H., Howe J.A. and Tett P. (2014). Assessment of carbon budgets and potential blue carbon stores in Scotland's coastal and marine environment. Scottish Natural Heritage Commissioned Report No. 761.
- Burrows, M.T., Hughes, D.J., Austin, W.E.N., Smeaton, C., Hicks, N., Howe, J.A., Allen, C., Taylor, P. and Vare, L.L. (2017). Assessment of Blue Carbon Resources in Scotland's Inshore Marine Protected Area Network. Scottish Natural Heritage Commissioned Report No. 957.
- Business, Energy and Industrial Strategy (BEIS) (2022). UK Offshore Energy Strategic Environmental Assessment Future Leasing/Licensing for Offshore Renewable Energy, Offshore Oil & Gas and Gas Storage and Associated Infrastructure: OESEA4 Environmental Report. March 2022. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1061670/OESEA4_Environmental_Report.pdf [Accessed 02/06/2022].
- Business, Energy and Industrial Strategy (BEIS) (2019). Decommissioning of Offshore Renewable Energy Installations under The Energy Act 2004. March 2019. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/916912/decommissioning-offshore-renewable-energy-installations-energy-act-2004-guidance-industry_1_.pdf [Accessed 28/03/2022].
- Business, Energy and Industrial Strategy (BEIS) (2020). Review of Consented Offshore Wind Farms in the Southern North Sea Harbour Porpoise SAC., The Department for Business Energy and Industrial Strategy. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/921754/RoC_SNS_SAC_HRA_FINAL.pdf [Accessed 22/03/2022].
- Business, Energy and Industrial Strategy (BEIS) (2021). 2020 UK greenhouse gas emissions, provisional figures. National Statistics. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/972583/2020_Provisional_emissions_statistics_report.pdf [Accessed 23/05/2022].
- Caithness STEAM report, 2018-2019. Provided following a request made to The Highland Council.

- Canadian Marine Sediment Quality Guidelines (CMME) (1999). Canadian Sediment Quality Guidelines for the Protection of Aquatic Life. <https://www.pla.co.uk/Environment/Canadian-Sediment-Quality-Guidelines-for-the-Protection-of-Aquatic-Life> [Accessed 04/04/2022].
- Carbon Trust (2018). The Carbon Trust Phase 1 Floating Wind Joint Industry Project Summary Report. <https://www.carbontrust.com/resources/floating-wind-joint-industry-project-summary-report-phase-1> [Accessed 28/03/2022].
- Cargnelli, L.M., Griesbach, S.J., Packer, D.B. & Weissberger, E., 1999a. Essential fish habitat source document: Ocean quahog, *Arctica islandica*, life history and habitat characteristics. NOAA Technical Memorandum, NMFS-NE-148, 12pp.
- Carter, M. and Russel, D. (2020). At-Sea Density Maps for Grey and Harbour Seals in the British Isles (2020) dataset. [https://risweb.st-andrews.ac.uk/portal/en/datasets/atsea-density-maps-for-grey-and-harbour-seals-in-the-british-isles-2020-dataset\(dcebb865-3177-4498-ac9d-13a0f10b74e1\).html](https://risweb.st-andrews.ac.uk/portal/en/datasets/atsea-density-maps-for-grey-and-harbour-seals-in-the-british-isles-2020-dataset(dcebb865-3177-4498-ac9d-13a0f10b74e1).html) [Accessed 18/02/2022].
- Carter, M.I., Boehme, L., Cronin, M.A., Duck, C., James Grecian, W., Hastie, G.D., Jessopp, M.J., Matthiopoulos, J., McConnell, B.J., Morris, C.D. and Moss, S.E. (2022). Sympatric seals, satellite tracking and protected areas: habitat-based distribution estimates for conservation and management. *Frontiers in Marine Science*, **9**: 875869. <https://doi.org/10.3389/fmars.2022.875869> [Accessed 23/06/2022].
- Carter, M.I., Boehme, L., Duck, C.D., Grecian, J., Hastie, G.D., McConnell, B.J., Miller, D.L., Morris, C., Moss, S., Thompson, D. and Thompson, P., 2020. Habitat-based predictions of at-sea distribution for grey and harbour seals in the British Isles: Report to BEIS, OESEA-16-76, OESEA-17-78.
- Casper, B.M. and Mann, D.A. (2010). Field hearing measurements of the Atlantic sharpnose shark *Rhizoprionodon terraenovae*. *Journal of Fish Biology*, **75**(10): 2768-2776.
- Causon, P. and Gill, A.B. (2018). Linking ecosystem services with epibenthic biodiversity change following installation of offshore wind farms. *Environmental Science & Policy*, **89**:340-347.
- Cauwelier, E., Gilbey, J. and Middlemas, S.J. (2015) Genetic assignment of marine-caught adult salmon at Armadale to region of origin. *Scottish Marine and Freshwater Science Vol 6 No 16*. Edinburgh: Scottish Government, 17pp. DOI: 10.7489/1675-1 <https://www.gov.scot/publications/scottish-marine-freshwater-science-vol-6-16-genetic-assignment-marine/> [Accessed 15/04/2022].
- Centre for Environment, Fisheries and Aquaculture Science (CEFAS) (2004). Offshore Wind Farms Guidance note for Environmental Impact Assessment In respect of FEPA and CPA requirements. Version 2 - June 2004.
- Centre for Environment, Fisheries and Aquaculture Science (CEFAS) (2012). Guidelines for data acquisition to support marine environmental assessments of offshore renewable energy projects. Cefas contract report: ME5403 – Module 15.
- Centre for Environment, Fisheries and Aquaculture Science (CEFAS) (2016). Suspended Sediment Climatologies around the UK. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/584621/CEFAS_2016_Suspended_Sediment_Climatologies_around_the_UK.pdf [Accessed 06/04/2022].
- Chapuis, L., Collin, S.P., Yopak, K.E. et al. (2019) The effect of underwater sounds on shark behaviour. *Sci Rep*, **9**: 6924. <https://doi.org/10.1038/s41598-019-43078-w> [Accessed 05/03/2022].
- Chartered Institute for Archaeologists Codes (ClfA). (2022). The Chartered Institute for Archaeologists Codes, Standards and Guidelines (ClfA regulations, standards and guidance | Chartered Institute for Archaeologists).
- Chartered Institute of Ecology and Environmental Management (CIEEM) (2016). Guidelines for ecological impact assessment in the UK and Ireland: Terrestrial, freshwater and coastal.
- Chartered Institute of Ecology and Environmental Management (CIEEM) (2018). Guidelines for Ecological Impact Assessment in the UK and Ireland: terrestrial, freshwater, coastal and marine. CIEEM.
- Chelminski, S., Watson, L.M. and Ronen, S. (2019). Research Note: Low-frequency pneumatic seismic sources. *Geophysical Prospecting*, **67**(6-Geophysical Instrumentation and Acquisition):1547-1556.

Cheney, B., Thompson, P.M., Ingram, S.N., P.S. Hammond, P.T. Stevick, J.W. Durban, R.M. Culloch, S.H. Elwen, L. Mandleberg, V.M. Janik, N.J. Quick, V. Islas-Villanueva, K.P. Robinson, M. Costa, S.M. Einfeld, A. Walters, C. Phillips, C.R. Weir, P.G.H. Evans, P. Anderwald, R.J. Reid, J.B. Reid, and B. Wilson (2013). Integrating multiple data sources to assess the distribution and abundance of bottlenose dolphins *Tursiops truncatus* in Scottish waters. *Mammal Rev.*, **43**: 71-88.

Civil Aviation Authority (CAA) (2008). Safety Sense Leaflet 18: Military low Flying. https://publicapps.caa.co.uk/docs/33/ga_srg_09webSSL18November.pdf [Accessed 11/04/2022].

Civil Aviation Authority (CAA) (2016). CAP 393, Air Navigation: The Order and the Regulations, 2016 (Version 6, 12 February 2021). <https://publicapps.caa.co.uk/docs/33/CAP393%20Regulations%20made%20under%20powers%20in%20the%20Civil%20Aviation%20Act%201982%20and%20the%20Air%20Navigation%20Order%202016.pdf> [Accessed 19/07/2022].

Civil Aviation Authority (CAA) (2016). CAP 764 - CAA Policy and Guidelines on Wind Turbines (Version 6, February 2016). <https://publicapps.caa.co.uk/docs/33/CAP764%20Issue6%20FINAL%20Feb.pdf> [Accessed 19/07/2022].

Civil Aviation Authority (CAA) (2017). CAP 774 - The UK Flight Information Services (Version 4, 15 December 2021). https://publicapps.caa.co.uk/docs/33/CAP774_UK%20FIS_Edition%204.pdf [Accessed 19/07/2022].

Civil Aviation Authority (CAA) (2019). CAP 670, Air Traffic Services Safety Requirements (Issue 3, 7 June 2019). [http://publicapps.caa.co.uk/docs/33/CAP670%20Issue3%20Am%201%202019\(p\).pdf](http://publicapps.caa.co.uk/docs/33/CAP670%20Issue3%20Am%201%202019(p).pdf) [Accessed 19/07/2022].

Civil Aviation Authority (CAA) (2022). CAP 032 - UK Integrated Aeronautical Information Package (2022). eAIS Package United Kingdom (nats.co.uk) [Accessed 19/07/2022].

Civil Aviation Authority (CAA) (2022). Visual Flight Rules Chart (CAA, 2022). <https://www.aurora.nats.co.uk/htmlAIP/Publications/2021-11-04-AIRAC/html/index-en-GB.html> [Accessed 19/07/2022].

Clausen, K.T., Teilmann, J., Wisniewska, D.M., Balle, J.D., Delefosse, M. and Beest, F.M. (2021). Echolocation activity of harbour porpoises, *Phocoena phocoena*, shows seasonal artificial reef attraction despite elevated noise levels close to oil and gas platforms. *Ecological Solutions and Evidence*, **2**: e12055.

Clausen, L. W., Rindorf, A., van Deurs, M., Dickey-Collas, M. & Hintzen N. T. (2017). Shifts in North Sea forage fish productivity and potential fisheries yield. *Journal of Applied Ecology*, **55(3)**, 1092-1101.

Climate Emergency Declaration (CED) (2019). Scotland and Wales: World's first governments to declare a climate emergency. 28 April 2019. <https://climateemergencydeclaration.org/scotland-worlds-first-government-to-declare-a-climate-emergency/> [Accessed 30/03/2022].

Climate Emergency Declaration (CED) (2019). United Kingdom: Bipartisan UK Parliament declares a climate emergency. 1 May 2019. <https://climateemergencydeclaration.org/united-kingdom-bipartisan-uk-parliament-declares-a-climate-emergency/#:~:text=United%20Kingdom%3A%20Bipartisan%20UK%20Parliament%20declares%20a%20climate,by%20members%20of%20the%20Parliament%20across%20the%20floor.> [Accessed 30/03/2022].

Clyde Cruising Club (2020). CCC Sailing Directions and Anchorages: Orkney and Shetland including North & Northeast Scotland. Wych House, St Ives, Cambridgeshire: Imray, Laurie, Norie & Wilson.

Coles, T. (2020). Impacts of climate change on tourism and marine recreation MCCIP Science Review 2020, 593–615.

Committee on Climate Change (CCC) (2020). Reducing UK emissions Progress Report to Parliament. <https://www.theccc.org.uk/publication/reducing-uk-emissions-2020-progress-report-to-parliament/> [Accessed 08/03/2022].

- Connor, D.W., Gilliland, P.M., Golding, N., Robinson, P., Todd, D., & Verling, E. (2006). UKSeaMap: the mapping of seabed and water column features of UK seas. Joint Nature Conservation Committee, Peterborough.
- Construction Industry Research and Information Association (CIRIA) (2007). The Rock Manual. The use of rock in hydraulic engineering, 2nd edition. CIRIA Special Publication Volume 83, CIRIA C683
- Cook, A.S.C.P., Johnston, A., Wright, L.J. & Burton, N.H.K. (2012). A review of flight heights and avoidance rates of birds in relation to offshore wind farms. Strategic Ornithological Support Services. Project SOSS-02. BTO Research report No: 618.
- Cooke, J.G. (2018). *Balaenoptera acutorostrata*. The IUCN Red List of Threatened Species 2018: e.T2474A50348265. <https://dx.doi.org/10.2305/IUCN.UK.2018-2.RLTS.T2474A50348265.en> [Accessed 01/06/2022].
- Copping, A. E., Hemery, L.G., Overhus, D.M., Garavelli, L., Freeman, M.C., Whiting, J.M., Gorton, A.M., Farr, H.K., Rose, D.J. and Tugade, L.G. (2020). Potential Environmental Effects of Marine Renewable Energy Development – The State of the Science. *Journal of Marine Science and Engineering*. 8 (11), 879.
- Copping, A.E. and Hemery, L.G., Eds. (2020). OES-Environmental 2020 State of the Science Report: Environmental Effects of Marine Renewable Energy Development Around the World. Report for Ocean Energy Systems (OES). doi:10.2172/1632878.
- Copping, A.E., Hemery, L.G., Viehman, H., Seitz, A.C., Staines, G.J. and Hasselman, D.J. (2021). Are fish in danger? A review of environmental effects of marine renewable energy on fishes. *Biological Conservation*, **262**: 109297.
- Corwin J.T. (1981). Audition in Elasmobranchs. In: Tavolga W.N., Popper A.N., Fay R.R. (eds) *Hearing and Sound Communication in Fishes*. Proceedings in Life Sciences. Springer, New York, NY.
- Coull, K.A., Johnstone, R., and S.I. Rogers. (1998). Fisheries sensitivity maps in British waters, 1. https://www.cefas.co.uk/media/o0fgfobd/sensi_maps.pdf [Accessed 12/07/2021].
- Cramp, S. (1977). *Handbook of the birds of Europe, the Middle East and North Africa. The birds of the western Palaearctic. Vol. I*. Oxford, London and New York.
- Crown Estate Scotland (CES) (2022) Energy and Infrastructure Spatial Data. <https://opendata-thecrownestate.opendata.arcgis.com/> [Accessed 11/04/2022].
- Culik, B.M. (2010). Odontocetes: the toothed whales: distribution, behaviour, migration and threats. In *Compiled for the Convention on Migratory species (CMS/UNEP) Secretariat*.
- D'Elbée, J. & Hémerly, G. (1998). Diet and foraging behaviour of the British storm-petrel *Hydrobatas pelagicus* in the bay of Biscay during summer. *Ardea*, **86(1)**: 1-10.
- Dahl, P. H., De Jong, C. A., Popper, A. N. (2015). The underwater sound field from impact pile driving and its potential effects on marine life. *Acoustics Today*, Spring 2015, Volume 11, Issue 2.
- Daunt, F., Wanless, S., Greenstreet, S.P.R., Jensen, H., Hamer, K.C. & Harris, M.P. (2008). The impact of the sandeel fishery closure on seabird food consumption, distribution, and productivity in the northwestern North Sea. *Canadian Journal of Fisheries and Aquatic Sciences*, **65(3)**: 362-381.
- De Jong, K., Forland, T.N., Amorim, M.C.P., Rieucan, G., Slabbekoorn, H. and Sivle, L.D., 2020. Predicting the effects of anthropogenic noise on fish reproduction. *Reviews in Fish Biology and Fisheries*, 30(2), pp.245-268.
- Defingou, M., Bils, F., Horchler, B., Liesenjohann, T., & Nehls, G. (2019). PHAROS4MPAs – A Review of Solutions to Avoid and Mitigate Environmental Impacts of Offshore Windfarms. BioConsult SH on behalf of WWF France. pp. 264.
- Degraer, S., Carey, D.A., Coolen, J.W., Hutchison, Z.L., Kerckhof, F., Rumes, B., and Vanaverbeke, J. (2020). Offshore wind farm artificial reefs affect ecosystem structure and functioning. *Oceanography*, **33(4)**: 48-57.

Delefosse, M., M. L. Rahbek, L. Roesen, and K. T. Clausen. (2018). Marine mammal sightings around oil and gas installations in the central North Sea. *Journal of the Marine Biological Association of the United Kingdom*, **98**: 993-1001.

Department for Environment, Food and Rural Affairs (DEFRA) (2022). Updated Outbreak Assessment #29. Highly pathogenic avian influenza (HPAI) in the UK and Europe 4th July 2022. Defra. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1089228/Highly_pathogenic_avian_influenza__HPAI__in_the_UK_and_Europe__4_July_2022_.pdf [Accessed 19/072022].

Department of Energy and Climate Change (DECC) (2011). Review and Assessment of Underwater Sound Produced from Oil and Gas Sound Activities and Potential Reporting Requirements under the Marine Strategy Framework Directive. Report for the Department of Energy and Climate Change, Genesis Oil and Gas Consultants.

Deppe, L., Rowley, O., Rowe, L.K., Shi, N., MacArthur, N., Gooday, O. & Goldstien, S.J. (2017). Investigation of fallout events in Hutton's shearwaters (*Puffinus huttoni*) associated with artificial lighting. *Notornis*, **64**: 181-191.

DHI (2021). Pentland Floating Offshore Wind Farm. Metocean Hindcast Data and Analysis. Prepared for Highland Wind Limited. 01 December 2021. Hørsholm, Denmark: DHI A/S.

Diaz, R.J. & Rosenberg, R., 1995. Marine benthic hypoxia: a review of its ecological effects and the behavioural responses of benthic macrofauna. *Oceanography and Marine Biology: an Annual Review*, **33**, 245-303.

Dierschke, V., Furness, R.W. & Garthe, S. (2016). Seabirds and offshore wind farms in European waters: Avoidance and attraction. *Biological Conservation*, **202**: 59-68.

Dodd, J. A., & Briers, R. A. (2021). The impact of shadow flicker or pulsating shadow effect, caused by wind turbine blades, on Atlantic salmon (*Salmo salar*). Scotland's Centre of Expertise for Waters (CREW)

Doherty, P.D., Baxter, J.M., Gell, F.R., Godley, B.J., Graham, R.T., Hall, G., Hall, J., Hawkes, L.A., Henderson, S.M., Johnson, L. and Speedie, C. (2017). Long-term satellite tracking reveals variable seasonal migration strategies of basking sharks in the north-east Atlantic. *Scientific Reports*, **7**(1): 1-10.

Dounreay Site Restoration Limited (DSRL) (2014). Particles Briefing DSG (2014) C002, Dounreay Stakeholder Group. <https://www.dounreaystakeholdergroup.org/wp-content/uploads/2019/06/download2458.pdf> [Accessed 21/03/2022].

Dounreay Site Restoration Ltd (DSRL) (2015). Particle Cleanup. Beach Monitoring – Sandside.

Dounreay Site Restoration Ltd (DSRL) (2016). Corporate report - Radioactive particles in the environment around Dounreay. 4 April 2016. <https://www.gov.uk/government/publications/radioactive-particles-in-the-environment-around-dounreay> [Accessed 12/01/2022].

Dounreay Site Restoration Ltd (DSRL) (2020). Dounreay Foreshore Particle Finds Up to 2020. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/940479/Internet_Particles_Table_20201130.ods [Accessed 02/04/2022].

Dounreay Site Restoration Ltd (DSRL) (2020). Sandside Beach Near Dounreay Particle Finds Up to 2020. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/963149/Sandside_by_Dounreay_internet_particles_finds.ods [Accessed 02/04/2022].

Dounreay Site Restoration Ltd (DSRL) (2021). Dounreay Foreshore Particle Finds from 2021. <https://www.gov.uk/government/publications/radioactive-particles-in-the-environment-around-dounreay/dounreay-foreshore-particle-finds-2021> [Accessed 02/04/2022].

Dounreay Site Restoration Ltd (DSRL) (2021). Sandside Beach Near Dounreay Particle Finds 2021. <https://www.gov.uk/government/publications/radioactive-particles-in-the-environment-around-dounreay/sandside-beach-near-dounreay-particle-finds-2021> [Accessed 02/04/2022].

- Dounreay Site Restoration Ltd (DSRL) (2022). Monitoring of beaches near Dounreay. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/725768/D_SRL_PR_Monitoring_beaches_V1.pdf [Accessed 02/04/2022].
- Dounreay Site Restoration Ltd (DSRL) (2022). Radioactive particles in the environment around Dounreay. <https://www.gov.uk/government/publications/radioactive-particles-in-the-environment-around-dounreay> [Accessed 29/04/2022].
- Dounreay Stakeholder Group (DSG) (2014). Particles Briefing, DSG(2014)C002. Dounreay Site Restoration Ltd 10th January 2014.
- Dounreay Tri Ltd (2016). Dounreay Tri Floating Wind Demonstration Project Marine Safety Navigational Risk Assessment. Dounreay Tri Ltd: Stromness.
- Downie, H, Hanson, N, Smith, G.W., Middlemas, S.J., Anderson, J., Tulett, D. and Anderson, H. (2018) Using historic tag data to infer the geographic range of salmon river stocks likely to be taken by a coastal fishery Scottish Marine and Freshwater Science Vol 9 No 6 <https://data.marine.gov.scot/sites/default/files//SMFS%200906.pdf> [Accessed 13/05/2022].
- Drewery, H.M. (2011). Basking Shark (*Cetorhinus maximus*) Literature Review, Current Research and New Research Ideas. Marine Scotland Science Report 24/12. http://marine.gov.scot/datafiles/misc/MREP/Archive/03/Documents/DrewryHelen_Baskingsharks.pdf [Accessed 15/04/2022].
- Dunn, R.E., Wanless, S., Green, J.A., Harris, M.P. & Daunt, F. (2019). Effects of body size, sex, parental care and moult strategies on auk diving behaviour outside the breeding season. *Journal of Avian Biology*, **50(7)**: e02012.
- Dye, S., Berx, B., Opher, J., Tinker, J.P. and Renshaw, R. (2020) Climate change and salinity of the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 76–102.
- Eaton, M., Aebischer, N., Brown, A., Hearn, R., Lock, L., Musgrove, A., Noble, D., Stroud, D. & Gregory, R. (2015). Birds of Conservation Concern 4: the population status of birds in the UK, Channel Islands and Isle of Man. *British Birds*, **108**: 708-746.
- Edwards, M., Atkinson, A., Bresnan, E., Helaouet, P., McQuattersGollup, A., Ostle, C., Pitois, S. and Widdicombe, C. (2020) Plankton, jellyfish and climate in the North-East Atlantic. *MCCIP Science Review 2020*, 322–353.
- Ellis, J.R., Milligan, S.P., Readdy, L., Taylor, N. and Brown, M.J. (2012). Spawning and nursery grounds of selected fish species in UK waters. <https://www.cefas.co.uk/publications/techrep/TechRep147.pdf> [Accessed 12/07/2021].
- Erbe, C., Marley, S.A., Schoeman, R.P., Smith, J.N., Trigg, L.E., and Embling, C.B. (2019). The Effects of Ship Noise on Marine Mammals—A Review. *Frontiers in Marine Science*, **6**(606).
- English Heritage. (2012). Ships and Boats: Prehistory to Present. Designation Selection Guide. English Heritage: Swindon.
- Eno, N., Clark, R. and Sanderson, W. (1997). Non-native marine species in British waters: effects and controls. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **6**(4), pp.215-228.
- Environment Agency, Food Standards Agency, Food Standards Scotland, NRW, Northern Ireland Environmental Agency, SEPA (2019). Radioactivity in Food and the Environment, 2018. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/843281/Radioactivity_in_food_and_the_environment_2018_RIFE_24.pdf [Accessed 21/03/2022].
- Environment Agency, Food Standards Agency, Food Standards Scotland, Natural Resources Wales, Northern Ireland Environment Agency, Scottish Environment Protection Agency, (2020). Radioactivity in Food and the Environment 2019. <https://www.sepa.org.uk/media/532836/rife25.pdf> [Accessed 04/04/2022].

- Environment Agency, Food Standards Agency, Food Standards Scotland, Natural Resources Wales, Northern Ireland Environment Agency, Scottish Environment Protection Agency, (2021). Radioactivity in Food and the Environment 2020. <https://www.sepa.org.uk/media/593789/rife26.pdf> [Accessed 04/04/2022].
- Environment, C. C. (1995). Protocol for the derivation of Canadian sediment quality guidelines for the protection of aquatic life. Summary tables. In: Canadian environmental quality guidelines, 1995, Canadian Council of Ministers for the Environment, Winnipeg.
- Environment, C. C. (2001). Canadian sediment quality guidelines for the protection of aquatic life: Introduction. Updated.
- Esteban, M.D., López-Gutiérrez, J-S., and Negro, V. (2017). Classification of wave energy converters. *Recent Advances in Petrochemical Science*, **2**(4): 63-66.
- European Commission (2021). Guidance document on wind energy developments and EU nature legislation. Directorate-General for Environment, Publications Office of the European Union. <https://data.europa.eu/doi/10.2779/095188> [Accessed 20/03/2022].
- European Council (2021). Fish Stocks Shared Between the EU and the United Kingdom. <https://www.consilium.europa.eu/en/policies/eu-fish-stocks/eu-uk-fishing-quotas/> [Accessed 30/11/2021].
- European Subsea Cables Association (ESCA) (2016). Guideline No 6, The Proximity of Offshore Renewable Energy Installations and Submarine Cable Infrastructure in UK Waters. <https://www.escaeu.org/download/?Id=123&source=guidelines> [Accessed 11/04/2022]
- EUSeaMap (2019). Broad-scale Predictive Habitat Map – EUNIS classification full detail. <https://www.emodnet-seabedhabitats.eu/access-data/launch-map-viewer/> [Accessed 13/02/2022].
- Evans, P.G.H and Waggitt, J.J. (2020) Impacts of climate change on marine mammals, relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 421–455
- Evans, P.G.H. (2008). An analysis of sightings of Cetacea in British waters. *Mammal Review*, **6**: 5 - 14. doi: 10.1111/j.1365-2907.1976.tb00196.x
- Evans, P.G.H. (2011). A Methodology to Assess the Sensitivity of Marine Mammals to Different Fishing Activities and Intensities. CCW Policy Research Report No. 20.
- Faber, Maunsell & Metocet. (2007). Scottish Marine SEA: Environmental Report Section C Chapter C7: Fish & Shellfish.
- Farr, H., Ruttenberg, B., Walter, R.K., Wang, Y.H., and White, C. (2021). Potential environmental effects of deepwater floating offshore wind energy facilities. *Ocean & Coastal Management*, **207**: 105611.
- Flow Country Rivers Trust (FCRT) (2017). Fishermen’s Knowledge: Salmon in the Pentland Firth. <https://caithness.dsfb.org.uk/publications/>
- Fishing Liaison with Offshore Wind and Wet Renewables Group (FLOWW) (2014). FLOWW Best Practice Guidance for Offshore Renewables Developments: Recommendations for Fisheries Liaison. <https://www.sff.co.uk/wp-content/uploads/2016/01/FLOWW-Best-Practice-Guidance-for-Offshore-Renewables-Developments-Jan-2014.pdf> [Accessed 20/07/2022].
- Fishing Liaison with Offshore Wind and Wet Renewables Group (FLOWW) (2015). Best Practice Guidance for Offshore Renewables Developments: Recommendation for Fisheries Disruption Settlements and Community Funds. <https://www.thecrownestate.co.uk/media/1776/floww-best-practice-guidance-disruption-settlements-and-community-funds.pdf> [Accessed 20/07/2022].
- Fitton, J.M., Hansom, J.D., and Rennie, A.F. (2017) DynamicCoast - National Coastal Change Assessment: Cell 4 - Duncansby Head to Cape Wrath, CRW2014/2.
- Flemming, N.C. (2003). The scope of Strategic Environmental Assessment of Continental Shelf Area SEA 4 in regard to prehistoric archaeological remains. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/197361/SEA4_TR_Archaeology_NFC.pdf [Accessed 12/04/2022].

- Flemming, N.C., Harff, J., Moura, D., Burgess, A. & Bailey, G.N. (editors). (2017). *Submerged Landscapes of the European Continental Shelf*. John Wiley & Sons Ltd.: Chichester.
- Folk, R.L., (1954). The Distinction between Grain Size and Mineral Composition in Sedimentary-Rock Nomenclature. *The Journal of Geology*, 62 (4), 344-359. <https://doi.org/10.1086/626171>. Accessed 21/04/2022].
- Forrester, R., Andrews, I., McInerny, C., Murray, R., McGowan, B., Zonfrillo, B., Betts, M., Jardine, D. & Grundy, D. (2012). *The Birds of Scotland*. The Scottish Ornithologists' Club
- Fox, A.D. & Petersen, I.B. (2019). Offshore wind farms and their effects on birds. *Dansk Orn. Foren. Tidsskr.*, **113**: 86-101.
- Fox, J. (2015). *Intertidal Survey Report: Dounreay Tri Floating Wind Demonstration Project 0.4*.
- Franklin A., Pickett G. D., Connor P. M. (1980) *The Scallop and its fishery in England and Wales*. Laboratory leaflet No. 51.
- Frederiksen, M., Anker-Nilssen, T., Beaugrand, G. & Wanless, S. (2013). Climate, copepods and seabirds in the boreal Northeast Atlantic – current state and future outlook. *Global Change Biology*, 19: 364-372.
- Frederiksen, M., Daunt, F., Harris, M.P. & Wanless, S. (2008). The demographic impact of extreme events: stochastic weather drives survival and population dynamics in a long-lived seabird. *Journal of Animal Ecology*, 77: 1020–1029.
- Frederiksen, M., Wanless, S., Harris, M.P., Rothery, P. & Wilson, L.J. (2004). The role of industrial fisheries and oceanographic change in the decline of North Sea black-legged kittiwakes. *Journal of Applied Ecology*, **41**: 1129–1139.
- Freitag, L., Partan, J., Koski, P., and Singh, S. (2015). Long range acoustic communications and navigation in the arctic. In: *OCEANS 2015 - MTS/IEEE Washington*, pp 1–5.
- Friedlaender, A.S., Goldbogen, J.A., Nowacek, D.P., Read, AJ, Johnston D, Gales N. (2014). Feeding rates and under-ice foraging strategies of the smallest lunge filter feeder, the Antarctic minke whale (*Balaenoptera bonaerensis*). *Journal of Experimental Biology*, **217**(16): 2851-4. doi: 10.1242/jeb.106682. PMID: 25122916.
- Fugro (2021). *Pentland Floating Offshore Wind Farm. Investigation Results*. Geotechnics. F184395/01 | 03 | 17 December 2021.
- Fullick, E., Bidewell, C. A., Duff, J. P., Holmes, J. P, Howie, F., Robinson, C. Goodman, G., Beckmann, K. M. & Philbey, A. W. (2022). Mass mortality of seabirds in GB. *Veterinary Record*. 190(3), 129-130.
- Furness, B. & Wade, H. (2012). *Vulnerability of Scottish Seabirds to Offshore Wind Turbines*. Report by MacArthur Green. Report for Marine Scotland Science.
- Furness, R. & Tasker, M.L. (2000). Seabird-fishery interactions: Quantifying the sensitivity of seabirds to reductions in sandeel abundance, and identification of key areas for sensitive seabirds in the North Sea. *Marine Ecology-progress Series*, 202: 253-264.
- Furness, R.W. (2015). Non-breeding season populations of seabirds in UK waters: Population sizes for Biologically Defined Minimum Population Scales (BDMPS). *Natural England Commissioned Reports*, No.164.
- Furness, R.W., Wade, H.M. & Masden, E.A. (2013). Assessing vulnerability of marine bird populations to offshore wind farms. *Journal of Environmental Management*, 119: 56-66.
- Garavelli, L. (2020). Encounters of Marine Animals with Marine Renewable Energy Device Mooring Systems and Subsea Cables. In A.E. Copping and L.G. Hemery (Eds.), *OES-Environmental 2020 State of the Science Report: Environmental Effects of Marine Renewable Energy Development Around the World*. Report for Ocean Energy Systems (OES). (pp. 147-153).
- Garthe, S. & Hüppop, O. (2004). Scaling possible adverse effects of marine wind farms on seabirds: developing and applying a vulnerability index. *Journal of Applied Ecology*, **41**(4): 724-734.

- Garthe, S., Markones, N. & Corman, A.M. (2017). Possible impacts of offshore wind farms on seabirds: a pilot study in northern gannets in the southern North Sea. *Journal of Ornithology*, **158**: 345-349.
- Gibin, M., Zanzi, A., and Hekim, Z. (2021): Fisheries landings & effort: data by c-square. European Commission, Joint Research Centre (JRC). <http://data.europa.eu/89h/00ae6659-ddde-4314-a9da-717bb2e82582> [Accessed 10/02/2021].
- Gilbert, M. & Xiao, X. (2008). Climate change and avian influenza. *Revue scientifique et technique* (International Office of Epizootics), **27(2)**, pp.459-466.
- Gill, A.; Huang, Y.; Spencer, J.; Gloyne-Philips, I. (2012). Electromagnetic Fields Emitted by High Voltage Alternating Current Offshore Wind Power Cables and Interactions with Marine Organisms. Paper presented at Electromagnetics in Current and Emerging Energy Power Systems Seminar, London, UK.
- Gill, A.B. & Bartlett, M. (2010). Literature review on the potential effects of electromagnetic fields and subsea noise from marine renewable energy developments on Atlantic salmon, sea trout and European eel. Scottish Natural Heritage Commissioned Report No.401
- Gillespie, D., Palmer, L., Macaulay, J., Sparling, C. & Hastie, G. (2021). Harbour porpoises exhibit localized evasion of a tidal turbine. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **31(9)**: 2459– 2468. <https://doi.org/10.1002/aqc.3660> [Accessed 10/06/2022].
- Glasson et al. (2020). Guidance on assessing the socio-economic impacts of offshore wind farms <https://group.vattenfall.com/uk/contentassets/c66251dd969a437c878b5fec736c32aa/best-practice-guidance--final-oct-2020.pdf> [Accessed 11/11/2021].
- Godfrey, J.D., Stewart, D.C., Middlemas S.J. and Armstrong J.D (2014). Depth use and movements of homing Atlantic salmon (*Salmo salar*) in Scottish coastal waters in relation to marine renewable energy development. *Scottish Marine and Freshwater Science*. Volume 5 Number 18 <http://www.gov.scot/Resource/0046/00466487.pdf> [Accessed 11/03/2022].
- Goertner J F, Wiley M L, Young G A, McDonald W W (1994). Effects of underwater explosions on fish without swim bladders. Naval Surface Warfare Center. Report No. NSWC/TR-76-155.
- González-Irusta, J. M., Wright, P. J. (2016). Spawning grounds of Atlantic cod (*Gadus morhua*) in the North Sea. *ICES Journal of Marine Science*, Volume 73, Issue 2, <https://doi.org/10.1093/icesjms/fsv180> [Accessed 14/06/2022].
- González-Irusta, J. M., Wright, P. J. (2016). Spawning grounds of haddock (*Melanogrammus aeglefinus*) in the North Sea and West of Scotland. *Fisheries Research*, Volume 183, Pages 180- 191, ISSN 0165-7836, <https://doi.org/10.1016/j.fishres.2016.05.028> [Accessed 10/06/2022].
- González-Irusta, J. M., Wright, P. J. (2017). Spawning grounds of whiting (*Merlangius merlangus*). *Fisheries Research*, Volume 195, Pages 141-151, ISSN 0165-7836, <https://doi.org/10.1016/j.fishres.2017.07.005>. [Accessed 10/06/2022].
- Gore, M.A., Rowat, D., Hall, J., Gell, F.R., and Ormond, R. F. (2008). Transatlantic migration and deep mid-ocean diving by basking shark. *Biology letters*, **4**: 395-398.
- Graham, I. M., A. Farcas, N. D. Merchant, and P. Thompson. (2017). Beatrice Offshore Wind Farm: An interim estimate of the probability of porpoise displacement at different unweighted single-pulse sound exposure levels. Prepared by the University of Aberdeen for Beatrice Offshore Windfarm Ltd.
- Gray, M., Stromberg, P-L., and Rodmell, D. (2016). Changes to fishing practices around the UK as a result of the development of offshore windfarms – Phase 1 (Revised). The Crown Estate. <https://www.thecrownestate.co.uk/media/2600/final-published-ow-fishing-revised-aug-2016-clean.pdf> [Accessed 11/07/2022].
- Green (1987). Underwater Sounds from the submersible drill rig SEDCO 708 drilling in the Aleutian Islands. Polar Research Laboratory, Inc., Santa Barbara, CA

- Guse, N., Garthe, S. & Schirmeister, B. (2009). Diet of red-throated divers *Gavia stellata* reflects the seasonal availability of Atlantic herring *Clupea harengus* in the southwestern Baltic Sea. *J Sea Res*, **62(4)**: 268-275.
- Hague, E.L., Sinclair, R.R. and Sparling, C.E. (2020). Regional baselines for marine mammal knowledge across the North Sea and Atlantic areas of Scottish waters. *Scottish Marine and Freshwater Science*, **11(12)**. <https://data.marine.gov.scot/dataset/regional-baselines-marine-mammal-knowledge-across-north-sea-and-atlantic-areas-scottish> [Accessed 11/04/2022].
- Haikonen, K., Sundberg, J., and Leijon, M. (2013). Characteristics of the Operational Noise from Full Scale Wave Energy Converters in the Lysekil Project: Estimation of Potential Environmental Impacts. *Energies*, **6**: 2562-2582. <https://doi.org/10.3390/en6052562> [Accessed 19/06/2022].
- Hall, R. M. (2022). The impact of avian flu. National Trust Scotland. <https://www.nts.org.uk/stories/the-impact-of-avian-flu> [Accessed 19/07/2022].
- Halvorsen M B, Casper B C, Matthew D, Carlson T J, Popper A N (2012). Effects of exposure to pile driving sounds on the lake sturgeon, Nile tilapia, and hogchoker. *Proc. Roy. Soc. B* 279: 4705-4714.
- Hammond, P.S., Lacey, C., Gilles, A., Viquerat, S., Börjesson, P., Herr, H., Macleod, K., Ridoux, V., Santos, M., Scheidat, M. and Teilmann, J. (2017). Estimates of cetacean abundance in European Atlantic waters in summer 2016 from the SCANS-III aerial and shipboard surveys. Wageningen Marine Research.
- Haney, C.J. & Stone, A. (1988). Seabird Foraging Tactics and Water Clarity: Are Plunge Divers Really in the Clear? *Marine Ecology Progress Series*, **49**: 1-9.
- Hannay, D, A MacGillivray, M Laurinolli, and R Racca (2004). Source Level Measurements from 2004 Acoustics Programme. p66, Sakhalin Energy, 2004.
- Harnois, V., Smith, H., Benjamins, S., and Johanning, L. (2015). Assessment of entanglement risk to marine megafauna due to offshore renewable energy mooring systems. *International Journal of Marine Energy*, **11**: 27-49. <https://www.sciencedirect.com/science/article/abs/pii/S2214166915000168> [Accessed 01/06/2022].
- Harsanyi, P., Scott, K., Easton, B.A.A., de la Cruz Ortiz, G., Chapman, E.C.N., Piper, A.J.R., Rochas, C.M.V. and Lyndon, A.R. (2022). The Effects of Anthropogenic Electromagnetic Fields (EMF) on the Early Development of Two Commercially Important Crustaceans, European Lobster, *Homarus gammarus* (L.) and Edible Crab, *Cancer pagurus* (L.). *J. Mar. Sci. Eng.* 2022, 10, 564. <https://doi.org/10.3390/jmse10050564> [Accessed 21/06/2022].
- Harvey, A., Glover, K., Wennevik, V. and Skaala, Ø., 2020. Atlantic salmon and sea trout display synchronised smolt migration relative to linked environmental cues. *Scientific Reports*, 10(1).
- Harwood, J., King, S., Schick, R., Donovan, C., and Booth, C. (2014). A protocol for Implementing the Interim Population Consequences of Disturbance (PcoD) approach: Quantifying and assessing the effects of UK offshore renewable energy developments on marine mammal populations. Report Number SMRUL-TCE-2013-014. *Scottish Marine and Freshwater Science*, **5(2)**.
- Hastie, G., Russell, D., Benjamins, S., Moss, S., Wilson, B. and Thompson, D. (2016). Dynamic habitat corridors for marine predators; intensive use of a coastal channel by harbour seals is modulated by tidal currents. *Behavioral Ecology and Sociobiology*, **70**. doi: 10.1007/s00265-016-2219-7.
- Haug, T., Gjøstter, H., Lindstrøm, U., Nilssen, K.T., and Røttingen, I. (1995). Spatial and temporal variations in northeast Atlantic minke whale *Balaenoptera acutorostrata* feeding habits. *Developments in Marine Biology*, **4**: 225-239.
- Hawkins, A.D. & Myrberg, A.A. Jr. (1983). Hearing and sound communication underwater. In: Lewis B (ed), *Bioacoustics, a comparative approach*. Academic Press, London, p 347-405.
- Hawkins, A.D. and Popper, A.N. (2017). A sound approach to assessing the impact of underwater noise on marine fishes and invertebrates. *ICES Journal of Marine Science*, 74(3), pp.635-651.
- Health and Safety Executive (HSE) (2001). *Reducing Risks, Protecting People HSE's decision-making process*. ISBN 0 7176 2151 0.

- Health and Safety Executive (HSE) and Maritime & Coastguard Agency (MCA) (2017). Regulatory expectations on moorings for floating wind and marine devices. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/640962/Regulatory_expectations_on_mooring_devices_from_HSE_and_MCA.PDF [Accessed 28/03/2022].
- Heath, M., Edwards, M., Furness, R., Pinnegar, J. & Wanless, S. (2009). A review from above: changing seas, seabirds and food sources. MCCIP Ecosystems Linkages Report Card.
- Hemery, L.G. (2020). Changes in Benthic and Pelagic Habitats Caused by Marine Renewable Energy Devices. In A.E. Copping and L.G. Hemery (Eds.), OES-Environmental 2020 State of the Science Report: Environmental Effects of Marine Renewable Energy Development Around the World. Report for Ocean Energy Systems (OES). (pp. 105-125).
- Hexicon, Horizon Geosciences (2016) Geophysical Site, Route Investigation and Unexploded Ordnance Survey Services, Dounreay Tri Offshore Windfarm, North Coast, Offshore Scotland.
- HiDef. (2015). Digital video aerial surveys of seabirds and marine mammals at the Hexicon Dounreay Tri Project: Final Report. Report Number: HP00054-703, Draft 1. 31 December 2015.
- HiDef. (2016). Digital video aerial surveys of seabirds and marine mammals at the Highlands and Islands Dounreay Demonstration Centre Project: Final Report. Report Number: HP00059-701, Final Draft. 23 September 2016.
- HiDef. (2021). Digital video aerial surveys of seabirds and marine mammals at Highland Wind Limited Pentland Floating Offshore Wind Farm Project: Annual Report, September 2020 to August 2021. Report Number: HP00128-701-01, Issue v2. 3 December 2021.
- Highland STEAM report, 2009-2020. Provided following a request made to The Highland Council.
- Highland Wind Limited (HWL) (2020). Request for Scoping Opinion. Pentland Floating Offshore Wind Farm EIA Scoping Report. A-100671-S00-REPT-001. 16 December 2020. <https://marine.gov.scot/data/scoping-request-pentland-floating-offshore-wind-farm> [Accessed 12/01/2022].
- Highland Wind Limited (HWL) (2021). Pentland Floating Offshore Wind Farm EIA. Method Statement to Inform the Marine Physical Processes Impact Assessment. A-100671-S01-REPT-007.
- Highland Wind Limited (HWL) (2021). Request for Scoping Opinion. Pentland Floating Offshore Wind Farm EIA Scoping Report Addendum. A-100671-S00-REPT-005. 22 December 2021. <http://marine.gov.scot/data/scoping-request-addendum-pentland-floating-offshore-wind-farm> [Accessed 12/01/2022].
- Highland Wind Limited (HWL) (2022). Habitats Regulation Appraisal – Offshore Report to Inform Appropriate Assessment. GBPNTD-ENV-XOD-AA-00003-RIAA.
- Highland Wind Limited (HWL) (2022). Pentland Floating Offshore Wind Farm NCA Screening Report. A-100671-S01-REPT-006. 2 February 2022.
- Highlands and Islands Enterprise (2022) Space Hub Sutherland. <https://www.hie.co.uk/our-region/regional-projects/space-hub-sutherland/> [Accessed 11/08/2022]
- Hin, J. A., Osté, L. A. and Schmidt, C. A., (2010). Guidance document for Sediment Assessment. Ministry of Infrastructure and the Environment.
- Historic Environment Scotland (HES) (2019). Historic Environment Designation Policy and Selection Guidance 2019. Historic Environment Scotland: Edinburgh.
- Historic Environment Scotland (HES) (2019). The Historic Environment Policy Statement for Scotland 2019. Historic Environment Scotland: Edinburgh.
- Historic Environment Scotland (HES) (2020). Managing Change in the Historic Environment: Setting (revised 2020). Historic Environment Scotland: Edinburgh.
- HM Government (2011). UK Marine Policy Statement.

- HM Government (2020). National Risk Register. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/952959/6.6920_CO_CCS_s_National_Risk_Register_2020_11-1-21-FINAL.pdf. [Accessed 21/06/2022].
- Holland, G., Greenstreet, S., Gibb, I., Fraser, H. & Robertson, M. (2005). Identifying sandeel *Ammodytes marinus* sediment habitat preferences in the marine environment. *Marine Ecology Progress Series*, 303, 269-282.
- Horizon Geosciences (2016). Survey Report Geophysical Site, Route Investigation and Unexploded Ordnance Survey Services Dounreay Tri Offshore Windfarm, North Coast, Offshore Scotland, UU-HEX-020, Revision 1, Volumes 1 – 4, October 2016.
- Horsburgh, K., Rennie, A. and Palmer, M. (2020). Impacts of climate change on sea-level rise relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 116–131.
- Horswill, C. & Robinson, R.A. (2015). Review of seabird demographic rates and density dependence. JNCC Report No: 552. JNCC.
- Housing Need and Demand Assessment 2020. Second Submission (Highland). Housing Land Information HNSA Third Submission December 2021. https://www.highland.gov.uk/downloads/file/24868/hnsa_third_submission_december_2021 [Accessed 13/01/2022].
- Howell, T.R.W., Davis, S.E.B., Donald, J., Dobby, H., Tuck, I. And Bailey, N. (2006) Report of marine laboratory scallop stock assessments. Fisheries Research Services Internal Report No 08/06.
- Humphreys, M.P., Artioli, Y., Bakker, D.C.E., Hartman, S.E., León, P., Wakelin, S., Walsham, P. and Williamson, P. (2020) Air–sea CO₂ exchange and ocean acidification in UK seas and adjacent waters. *MCCIP Science Review 2020*, 54–75.
- Hutchison, Z., Gill, A., Sigray, P., He, H. and King, J., (2020). Anthropogenic electromagnetic fields (EMF) influence the behaviour of bottom-dwelling marine species. *Scientific Reports*, 10(1).
- Hutchison, Z., Sigray, P., He, H., Gill, A., King, J., and Gibson, C. (2018). Electromagnetic Field (EMF) Impacts on Elasmobranch (shark, rays, and skates) and American Lobster Movement and Migration from Direct Current Cables (OCS Study BOEM 2018-003). Report by University of Rhode Island for Bureau of Ocean Energy Management, U.S. Department of Interior, Sterling, VA.
- Hwang, B., Aksenov, Y., Blockley, E., Tsamados, M., Brown, T., Landy J., Stevens, D. and Wilkinson, J. (2020) Impacts of climate change on Arctic sea ice. *MCCIP Science Review 2020*, 208–227.
- Inger, R., Attrill, M., Bearhop, S., Broderick, A., James Grecian, W., Hodgson, D., Mills, C., Sheehan, E., Votier, S., Witt, M. and Godley, B. (2009). Marine renewable energy: potential benefits to biodiversity? An urgent call for research. *Journal of Applied Ecology*, 46(6), pp.1145-1153.
- Institute of Environmental Management and Assessment (IEMA) (2017). Guidance on Delivering Proportionate EIA: A Collaborative Strategy for Enhancing UK Environmental Impact Assessment Practice.
- Institute of Environmental Management and Assessment (IEMA) (2020). IEMA - IEMA Major Accidents and Disasters in EIA Guide. <https://www.iema.net/resources/blog/2020/09/23/iema-major-accidents-and-disasters-in-eia-primer> [Accessed 21/05/2022].
- Institute of Environmental Management and Assessment (IEMA) (2022). Environmental Impact Assessment Guide to Assessing Greenhouse Gas Emissions and Evaluating their Significance. 2nd Edition.
- Inter-Agency Marine Mammal Working Group (IAMMWG). (2021). Updated abundance estimates for cetacean Management Units in UK waters. JNCC Report No. 680, JNCC Peterborough, ISSN 0963-8091.
- Intergovernmental Panel on Climate Change (IPCC) (2021). AR6 Climate Change 2021. The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Masson-Delmotte, V., P. Zhai, A. Pirani, S.L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen,

L. Goldfarb, M.I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T.K. Maycock, T. Waterfield, O. Yelekçi, R. Yu, and B. Zhou (eds.]. Cambridge University Press. In Press.

Intergovernmental Panel on Climate Change (IPCC) (2021). Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Masson-Delmotte, V., P. Zhai, A. Pirani, S.L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M.I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T.K. Maycock, T. Waterfield, O. Yelekçi, R. Yu, and B. Zhou (eds.]. Cambridge University Press. In Press. <https://www.ipcc.ch/report/ar6/wg1/#FullReport> [Accessed 30/03/2022].

Intergovernmental Panel on Climate Change (IPCC) (2022). Climate Change 2022: Mitigation of Climate Change. Working Group III contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. IPCC AR6 WG III. <https://www.ipcc.ch/report/ar6/wg3/> [Accessed 21/04/2022].

International Association of Dredging Companies and Central Dredging Association (IADC & CEDA), (1997). Environmental aspects of dredging - conventions, codes and conditions: marine disposal. Netherlands, 1-71.

International Association of Marine Aids to Navigation and Lighthouse Authorities (IALA) (2021). International Association of Marine Aids to Navigation and Lighthouse Authorities (IALA) Guidance RO139 / G1162 The Marking of Offshore Man-Made Structures. Edition 2. Saint-Germain en Laye, France: IALA.

International Cable Protection Committee (ICPC) (2021). ICPC Recommendations. <https://www.iscpc.org/publications/recommendations/> [Accessed 22/03/2022].

International Herring Larvae Survey (IHLS) (2015). <https://www.ices.dk/data/data-portals/Pages/Eggs-and-larvae.aspx>. [Accessed 14/03/2022].

International Maritime Organization (IMO) (1972/77). Convention on International Regulations for Preventing Collisions at Sea (COLREGs) – Annex 3. London: IMO.

International Maritime Organization (IMO) (1974). International Convention for the Safety of Life at Sea (SOLAS). London: IMO.

International Maritime Organization (IMO) (2018). Revised Guidelines for Formal Safety Assessment (FSA) for Use in the Rule-Making Process. MSC-MEPCC.2/Circ.12/Rev.2. London: IMO.

International Union for Conservation of Nature (IUCN) (2018). Black-legged kittiwake. <https://www.iucnredlist.org/species/22694497/155617539> [Accessed 20/05/2022].

International Union for Conservation of Nature (IUCN) (2021). The IUCN Red List of Threatened Species. <https://www.iucnredlist.org/> [Accessed 12/07/2021].

International Union for Conservation of Nature (IUCN) (2022) Red List of Threatened Species. <https://www.iucnredlist.org/> [Accessed 20/05/2022].

Intertek (2021). R100 Scottish Isles Fibre-optic Project Technical Appendix B - Pre-Application Consultation Documentation – Shetland. British Telecommunications PLC. https://marine.gov.scot/sites/default/files/shetland_-_marine_environmental_appraisal_-_appendix_b_-_pre-application_documentation_redacted.pdf [Accessed 03/06/2022].

Jackson (2022). Pentland Floating OWF: Baseline Onshore Bird Survey 2021 Technical. Report prepared by Atlantic Ecology Limited on behalf of Xodus Group and COP.JNCC, (2019). Natural England and JNCC advice on key sensitivities of habitats and Marine Protected Areas in English Waters to offshore wind farm cabling within Proposed Round 4 leasing areas. <https://data.jncc.gov.uk/data/3c9f030c-5fa0-4ee4-9868-1debedb4b47f/NE-JNCC-advice-key-sensitivities-habitats-MPAs-offshore-windfarm-cabling.pdf> [Accessed 28/07/2022].

Jackson, A. (2008). *Littorina littorea* Common periwinkle. In Tyler-Walters H. and Hiscock K. Marine Life Information Network: Biology and Sensitivity Key Information Reviews, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. [cited 03-08-2022]. <https://www.marlin.ac.uk/species/detail/1328> [Accessed 14/04/2022].

- Jessop, R.W., Woo, J.R. and Torrice, L. (2007) Research report. Eastern Sea Fisheries Joint Committee.
- Johnston, A., Cook, A.S., Wright, L.J., Humphreys, E.M. & Burton, N.H. (2014). Modelling flight heights of marine birds to more accurately assess collision risk with offshore wind turbines. *Journal of Applied Ecology*, **51(1)**: 31-41.
- Johnston, E.M., Halsey, L.G., Payne, N.L., Kock, A.A., Iosilevskii, G., Whelan, B., Houghton, J.D.R. (2018). Latent power of basking sharks revealed by exceptional breaching events. *Biology Letters*, **14(9)**: 20180537 doi: 10.1098/rsbl.2018.0537
- Joint Nature Conservation Committee (JNCC) (2010) Statutory nature conservation agency protocol for minimising the risk of injury to marine mammals from piling noise. <https://data.jncc.gov.uk/data/31662b6a-19ed-4918-9fab-8fbcff752046/JNCC-CNCB-Piling-protocol-August2010-Web.pdf> [Accessed 15/08/2022].
- Joint Nature Conservation Committee (JNCC) (2010). JNCC guidelines for minimising the risk of injury to marine mammals from using explosives. August 2010.
- Joint Nature Conservation Committee (JNCC) (2010). The protection of marine European Protected Species from Injury and Disturbance. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/850708/Draft_Guidance_on_the_Protection_of_Marine_European_Protected_Species_from_Injury_and_Disturbance.pdf [Accessed 05/05/2022].
- Joint Nature Conservation Committee (JNCC) (2017). JNCC guidelines for minimising the risk of injury to marine mammals from geophysical surveys (seismic survey guidelines). <https://hub.jncc.gov.uk/assets/e2a46de5-43d4-43f0-b296-c62134397ce4> [Accessed 15/08/2022].
- Joint Nature Conservation Committee (JNCC) (2018). Favourable Conservation Status: UK Statutory Nature Conservation Bodies Common Statement. <https://hub.jncc.gov.uk/assets/b9c7f55f-ed9d-4d3c-b484-c21758cec4fe> [Accessed 11/06/2022].
- Joint Nature Conservation Committee (JNCC) (2019). Joint Cetacean Data Programme. <https://jncc.gov.uk/our-work/joint-cetacean-data-programme/> [Accessed 03/05/2022].
- Joint Nature Conservation Committee (JNCC) (2019). UK BAP Priority Habitats. <https://jncc.gov.uk/our-work/uk-bap-priority-habitats/> [Accessed 12/07/2021].
- Joint Nature Conservation Committee (JNCC) (2020). North-west Orkney MPA. <https://jncc.gov.uk/our-work/north-west-orkney-mpa/> [Accessed 12/07/2021].
- Joint Nature Conservation Committee (JNCC) (2020). River Borgie Designated SAC. <https://sac.jncc.gov.uk/site/UK0012995> [Accessed 12/07/2021].
- Joint Nature Conservation Committee (JNCC) (2020). River Naver Designated SAC. <https://sac.jncc.gov.uk/site/UK0030260> [Accessed 12/07/2021].
- Joint Nature Conservation Committee (JNCC) (2020). River Thurso Designated SAC. <https://sac.jncc.gov.uk/site/UK0030264> [Accessed 12/07/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Arctic tern (*Sterna paradisaea*). <http://jncc.gov.uk/our-work/arctic-tern-sterna-paradisaea/> [Accessed 17/12/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Atlantic puffin (*Fratercula arctica*) <http://jncc.gov.uk/our-work/atlantic-puffin-fratercula-arctica/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Black-legged kittiwake (*Rissa tridactyla*). <http://jncc.gov.uk/our-work/black-legged-kittiwake-rissa-tridactyla/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Faray and Holm of Faray. <https://sac.jncc.gov.uk/site/UK0017096> [Accessed 18/03/2022].
- Joint Nature Conservation Committee (JNCC) (2021). Great black-backed gull (*Larus marinus*). <https://jncc.gov.uk/our-work/great-black-backed-gull-larus-marinus/> [Accessed 17/12/2021].

- Joint Nature Conservation Committee (JNCC) (2021). Great skua (*Stercorarius skua*). <https://jncc.gov.uk/our-work/great-skua-stercorarius-skua/> [Accessed 17/12/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Guillemot (*Uria aalge*). <http://jncc.gov.uk/our-work/guillemot-uria-aalge/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Herring gull (*Larus argentatus*). <http://jncc.gov.uk/our-work/herring-gull-larus-argentatus/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Northern fulmar (*Fulmarus glacialis*). <http://jncc.gov.uk/our-work/northern-fulmar-fulmarus-glacialis/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Northern gannet (*Morus bassanus*). <https://jncc.gov.uk/our-work/northern-gannet-morus-bassanus/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). North-West Orkney MPA. <https://jncc.gov.uk/our-work/north-west-orkney-mpa/>
- Joint Nature Conservation Committee (JNCC) (2021). Razorbill (*Alca torda*). <http://jncc.gov.uk/our-work/razorbill-alca-torda/> [Accessed 28/10/2021].
- Joint Nature Conservation Committee (JNCC) (2021). Sanday SAC. <https://sac.jncc.gov.uk/site/UK0030069> [Accessed 18/03/2022].
- Joint Nature Conservation Committee (JNCC) (2021). Southern North Sea SAC. <https://jncc.gov.uk/our-work/southern-north-sea-mpa/> [Accessed 18/03/2022].
- Joint Nature Conservation Committee (JNCC) and Natural England (2019). Harbour Porpoise (*Phocoena phocoena*) Special Area of Conservation: Southern North Sea Conservation Objectives and Advice on Operations.
- Joint Nature Conservation Committee (JNCC) and Natural England (2019). JNCC and Natural England advice on key sensitivities of habitats and Marine Protected Areas in English Waters to offshore wind farm cabling within Proposed Round 4 leasing area. <https://data.jncc.gov.uk/data/3c9f030c-5fa0-4ee4-9868-1debedb4b47f/NE-JNCC-advice-key-sensitivities-habitats-MPAs-offshore-windfarm-cabling.pdf> [Accessed 29/04/2022].
- Joint Nature Conservation Committee (JNCC), Department of Agriculture, Environment and Rural Affairs (DAERA) and Natural England. (2020). Guidance for assessing the significance of noise disturbance against Conservation Objectives of harbour porpoise SACs (England, Wales & Northern Ireland). Report No. 654, JNCC, Peterborough. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/889842/SACNoiseGuidanceJune2020.pdf [Accessed 02/04/2022].
- Jones, E. (1980). A survey of burrow-nesting petrel at Macquarie Island based upon remains left by predators. *Notornis*, **27**: 11-20.
- Jones, E.L., McConnell, B.J., Smout, S., Hammond, P.S., Duck, C.D., Morris, C.D., Thompson, D., Russell, D.J., Vincent, C., Cronin, M. and Sharples, R.J., (2015). Patterns of space use in sympatric marine colonial predators reveal scales of spatial partitioning. *Marine Ecology Progress Series*, 534, pp.235-249.
- Kafas, A., Jones, G., Watret, R., Davies, I., AND Scott, B. (2013). 2009 - 2013 amalgamated VMS intensity layers, GIS Data. Marine Scotland, Scottish Government. <https://data.marine.gov.scot/dataset/2009-2013-amalgamated-vms-intensity-layers> [Accessed 11/08/2022].
- Kavanagh, A.S., Kett, G., Richardson, N. et al. (2018). High latitude winter sightings of common minke whale calves (*Balaenoptera acutorostrata*) in the Northeast Atlantic. *Marine Biodiversity Records*, **11**(22). <https://doi.org/10.1186/s41200-018-0157-y> [Accessed 22/05/2022].
- Keller, O, Ludemann, K and Kafemann, R. (2006). Ecological Research on Offshore Wind Farms: International Exchange of Experiences – Literature Review of Offshore Wind Farms with Regard to Fish Fauna. <https://docs.wind-watch.org/Ecological-research-offshore-wind-farms.pdf> [Accessed 26/06/2022]

- Keltz, S., Bailey N. (2010) Fish and Shellfish stocks 2010. Marine Scotland, the Scottish Government. ISSN 2044-0359.
- Kempster, R.M. & Collin, S.P. (2011). Electrosensory pore distribution and feeding in the basking shark *Cetorhinus maximus* (Lamniformes: Cetorhinidae). *Aquatic Biology*, 12: 33-36.
- King, S.L., Schick, R.S., Donovan, C., Booth, C.G., Burgman, M., Thomas, L., and Harwood, J. (2015). "An interim framework for assessing the population consequences of disturbance." *Methods in Ecology and Evolution*, 6(10): 1150-1158.
- Kiszka, J. & Braulik, G. (2018). *Lagenorhynchus albirostris*. The IUCN Red List of Threatened Species 2018: e.T11142A50361346. <https://www.iucnredlist.org/species/11142/50361346> [Accessed 01/06/2022].
- Kleinschmidt, B., Burger, C., Dorsch, M., Nehls, G., Heinanen, S., Morkunas, J., Zydelis, R., Moorhouse-Gann, R.J., Hipperson, H., Symondson, W.O.C. & Quillfeldt, P. (2019). The diet of red-throated divers (*Gavia stellata*) overwintering in the German Bight (North Sea) analysed using molecular diagnostics. *Marine Biology*, 166: 77.
- Kogure, Y., Sato, K., Watanuki, Y., Wanless, S. & Daunt, F. (2016). European shags optimize their flight behavior according to wind conditions. *Journal of Experimental Ecology*, 219: 311–318.
- Kongsberg. (2012). Extreme performance Extreme condition KONGSBERG delivers advanced and reliable solutions that improve safety, security and performance for customers in the global defence, maritime, oil and gas and aerospace industries. https://www.kongsberg.com/contentassets/f772532faf124a838aa06fffa4c8d60c/annual-report_2012.pdf [Accessed 29/05/2022].
- Kotzerka, J., Garthe, S. & Hatch, S.A. (2010). GPS tracking devices reveal foraging strategies of Blacklegged Kittiwakes. *Journal of Ornithology*, 151: 459-467.
- Kraus, S.D., Kenney, R.D., and Thomas, L. (2019). A framework for studying the effects of offshore wind development on marine mammals and turtles. Report prepared for the Massachusetts Clean Energy Center, Boston, MA, 2110.
- Küpper, F.C. and Kamenos, N.A. (2017). The future of marine biodiversity and marine ecosystem functioning in UK coastal and territorial waters (including UK Overseas Territories). Foresight Future of the Sea project. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/663897/Future_of_the_Sea_-_Marine_Biodiversity_Final.pdf [Accessed 21/06/2022].
- Lacey, C. & Hammond, P. (2020). Regional baselines for marine mammal knowledge across the North Sea and Atlantic areas of Scottish waters – Appendix 3. *Scottish Marine and Freshwater Science*, 11(12). <https://data.marine.gov.scot/dataset/regional-baselines-marine-mammal-knowledge-across-north-sea-and-atlantic-areas-scottish> [Accessed 01/06/2022].
- Lancaster, J. (Ed.), McCallum, S., Lowe A.C., Taylor, E., Chapman A. and Pomfret, J. (2014). Development of detailed ecological guidance to support the application of the Scottish MPA selection guidelines in Scotland's seas. Scottish Natural Heritage Commissioned Report No.491. Sandeels – supplementary document <https://www.nature.scot/doc/naturescot-commissioned-report-491-development-detailed-ecological-guidance-support-application> [Accessed 12/06/2022].
- Landscape Institute and IEMA (2013). *Guidelines for the Assessment of Landscape and Visual Impacts: Third Edition (GLVIA3)*.
- Langhamer, O. and Wilhelmsson, D., (2009). Colonisation of fish and crabs of wave energy foundations and the effects of manufactured holes – A field experiment. *Marine Environmental Research*, 68(4), pp.151-157.
- Langton, R., Boulcott, P. and Wright P.J. (2021) A verified distribution model for the lesser sandeel *Ammodytes marinus*. *Marine Ecology Progress Series*, 667: 145-159.
- Larn, R & Larn, B. (1998). *The Ship Wreck Index of Great Britain & Ireland: Vol.4 Scotland*. Lloyd's Register of Shipping: London.

- Lean, F., Vitores, A. G., Reid, S. M., Banyard, A. C., Brown, H. I., Núñez, A. & Hansen, R. D. E. (2022). Gross pathology of high pathogenicity avian influenza virus H5N1 2021–2022 epizootic in naturally infected birds in the United Kingdom. *One Health*, 14 (2). <https://pubmed.ncbi.nlm.nih.gov/35686147/> [Accessed 29/06/2022].
- Leopold, M., van Bemmelen, R. & Zuur, A. (2013). Responses of Local Birds to the Offshore Wind Farms PAWP and OWEZ off the Dutch mainland coast (Report No. C151/12). Report by IMARES - Wageningen UR.
- Leopold, M.F., Dijkman, E.M., Teal, L. & OWEZ-Team. (2011). Local birds in and around the offshore wind farm Egmond aan Zee (OWEZ) – (T-0 & T-1, 2022-2010). IMARES report.
- Lindeboom, H., Degrauer, S., Dannheim, J., Gill, A. B. & Wilhelmsson, D. (2011). Offshore wind park monitoring programmes, lessons learned and recommendations for the future. *Hydrobiologia*, 756(1): 169–180. doi: 10.1007/s10750-015-2267-4, ISSN: 0018-8158, 1573-5117.
- Linley, E.A.S., Wilding, T.A., Black, K., Hawkins, A.J.S. & Mangi, S. (2007). Review of the reef effects of offshore wind farm structures and their potential for enhancement and mitigation. Report to the Department for Business, Enterprise and Regulatory Reform. RFCA/005/0029P.
- Liu, C.L. and Layland, J.W. (1973). Scheduling algorithms for multiprogramming in a hard-real-time environment. *Journal of the ACM (JACM)*, 20(1): 46-61.
- Lonergan, M., Duck, C., Moss, S., Morris, C. and Thompson, D., (2013). Rescaling of aerial survey data with information from small numbers of telemetry tags to estimate the size of a declining harbour seal population. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 23(1), pp.135-144.
- Longcore, T., Rich, C., Mineau, P., MacDonald, B., Bert, D.G., Sullivan, LM., Mutrie, E., Gauthreaux Jr, S.A., et al. (2013). Avian mortality at communication towers in the United States and Canada: which species, how many, and where? *Biological Conservation*, 158: 410-419.
- Longcore, T., Rodrigues, A., Witherington, B., Penniman, J.F., Herf, L. & Herf, M. (2018). Rapid assessment of lamp spectrum to quantify ecological effects of light at night. *Journal of Experimental Zoology*, 329: 511-521.
- Louis, M., Viricel, A., Lucas, T., Peltier, H., Alfonsi, E., Berrow, S., Brownlow, A., Covelo, P., Dabin, W., Deaville, R., de Stephanis, R., Gally, F., Gauffier, P., Penrose, R., Silva, M.A., Guinet, C. and Simon-Bouhet, B. (2014). Habitat-driven population structure of bottlenose dolphins, *Tursiops truncatus*, in the North-East Atlantic. *Molecular Ecology*, 23: 857-874. <https://doi.org/10.1111/mec.12653> [Accessed 15/05/2022].
- Lowe, J.A., Bernie, D., Bett, P., Bricheno, L., Brown, S., Calvert, D., Clark, R., Eagle, K., Edwards, T., Giorgia Fosser, G., Fung, F., Gohar, L., Good, P., Gregory, J., Harris, G., Howard, T., Kaye, N., Kendon, E., Krijnen, J., Maisey, P., McDonald, R., McInnes, R., McSweeney, C., Mitchell, J.F.B., Murphy, J., Palmer, M., Roberts, C., Rostron, J., Sexton, D., Thornton, H., Tinker, J., Tucker, S., Yamazaki, K., and Belcher, S. (2018). UKCP18 Science Overview Report. <https://www.metoffice.gov.uk/pub/data/weather/uk/ukcp18/science-reports/UKCP18-Overview-report.pdf> [Accessed 25/04/2022].
- Lowry, L. (2016). *Phoca vitulina*. The IUCN Red List of Threatened Species 2016: e.T17013A45229114. <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T17013A45229114.en> [Accessed 18/03/2022]
- Lynam, C.P., Llope, M., Möllmann, C., Helaouët, P., Bayliss-Brown, G.A. & Stenseth, N.C. (2017). Interaction between top-down and bottom-up control in marine food webs. *Proceedings of the National Academy of Sciences*, 114(8): 1952-1957.
- MacArthur Green. (2019). Beatrice Wind Farm Year 1 Post-construction Ornithological Monitoring Report 2019. https://marine.gov.scot/sites/default/files/bowl_2019_post-con_monitoring_report_v2.2_30042021.pdf [Accessed 25/05/2022].
- MacDonald, A., Heath, M., Edwards, M., Furness, R., Pinnegar, J., Wanless, S., Speirs, D. & Greenstreet, S. (2015). Climate driven trophic cascades affecting seabirds around the British Isles. *Oceanography and Marine Biology - An Annual Review*, 53: 55-80.
- MacDonald, A., Heath, M.R., Greenstreet, S.P.R. & Speirs, D.C. (2019). Timing of sandeel spawning and hatching off the east coast of Scotland. *Frontiers in Marine Science*, 6: 70.

- MacDonald, A., Speirs, D.C., Greenstreet, S.P.R, Bouclott, P. & Heath, M.R. (2019). Trends in sandeel growth and abundance off the east coast of Scotland. *Frontiers in Marine Science*, **6**: 201.
- MacLennan, E., Hartny-Mills, L., Read, F.L., Dolman, S.J., Philp, A., Dearing, K.E., Jarvis, D. and Brownlow, A.C. (2021). Scottish Entanglement Alliance (SEA) – understanding the scale and impacts of marine animal entanglement in the Scottish creel fishery. NatureScot Research Report 1268.
- Macleod, K., Fairbairns, R., Gill, A., Fairbairns, B., Gordon, J., Blair-Myers, C. and Parsons, E.C., (2004). Seasonal distribution of minke whales *Balaenoptera acutorostrata* in relation to physiography and prey off the Isle of Mull, Scotland. *Marine Ecology Progress Series*, 277, pp.263-274.
- Maeda, S., Sakurai, K., Akamatsu, T., Matsuda, A., Yamamura, O., Kobayashi, M., & Matsuishi, T. F. (2021). Foraging activity of harbour porpoises around a bottom-gillnet in a coastal fishing ground, under the risk of bycatch. *PloS one*, **16**(2): e0246838.
- Maes J, Turnpenny A W H, Lambert D R, Nedwell J R, Parmentier A and Olivier F (2004). Field evaluation of a sound system to reduce estuarine fish intake rates at a power plant cooling water inlet. *J.Fish.Biol.* 64, pp938 – 946
- Mahaffey, C., Palmer, M., Greenwood, N. and Sharples, P. (2020) Impacts of climate change on dissolved oxygen concentration relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 31–53.
- Malcom, A., Godfrey, J. and Youngson, A.F. (2010). Review of migratory routes and behaviour of Atlantic salmon, sea trout and European eel in Scotland's coastal environment: implications for the development of marine renewables. *Scottish Marine and Freshwater Science Vol 1 No 14*. <https://www.webarchive.org.uk/wayback/archive/3000/https://www.gov.scot/Resource/Doc/295194/0111162.pdf> [Accessed 04/03/2022].
- Marine Climate Change Impacts Partnership (MCCIP) (2022). About MCCIP. <https://www.mccip.org.uk/about-mccip> [Accessed 15/08/2022].
- Marine Conservation Society (n.d.). Basking Shark Code of Conduct: Boat-users, Kayakers, Swimmers, Divers and Surfers | CMS. <https://www.cms.int/fr/node/19175> [Accessed 01/02/2022].
- Marine Life Information Network (MarLin) (2022) Faunal and algal crusts with *Spirobranchus triqueter* and sparse *Alcyonium digitatum* on exposed to moderately wave-exposed circalittoral rock. https://www.marlin.ac.uk/habitats/detail/1064/faunal_and_algal_crusts_with_spirobranchus_triqueter_and_sparse_alcyonium_digitatum_on_exposed_to_moderately_wave-exposed_circalittoral_rock [Accessed 22/06/2022].
- Marine Life Information Network (MarLin) (2022) Polychaete-rich deep Venus community in offshore gravelly muddy sand. <https://www.marlin.ac.uk/habitats/detail/1117> [Accessed 26/06/2022].
- Marine Life Information Network (MarLin) (2022). Atlantic salmon (*Salmo salar*). <https://www.marlin.ac.uk/species/detail/2096>. [Accessed 12/07/2021].
- Marine Life Information Network (MarLin) (2022). Brown trout (*Salmo trutta*). <https://www.marlin.ac.uk/species/detail/2332>.
- Marine Life Information Network (MarLin) (2022). Dog whelk (*Nucella lapillus*). <https://www.marlin.ac.uk/species/detail/1501> [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). Fucoids and kelp in deep eulittoral rockpools. https://www.marlin.ac.uk/habitats/detail/282/fucoids_and_kelp_in_deep_eulittoral_rockpools [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). *Fucus spiralis* on exposed to moderately exposed upper eulittoral rock. <https://www.marlin.ac.uk/habitats/detail/1022> [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). Green seaweeds (*Ulva* spp. and *Cladophora* spp.) in shallow upper shore rockpools. <https://www.marlin.ac.uk/habitats/detail/246> [Accessed 07/03/2022].

- Marine Life Information Network (MarLin) (2022). Icelandic cyprine (*Arctica islandica*). <https://www.marlin.ac.uk/species/detail/1519> [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). *Laminaria hyperborea* with dense foliose red seaweeds on exposed infralittoral rock. https://www.marlin.ac.uk/habitats/detail/171#policy_legislation [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). *Pelvetia canaliculata* and barnacles on moderately exposed littoral fringe rock. <https://www.marlin.ac.uk/habitats/detail/287> [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). *Semibalanus balanoides* on exposed to moderately exposed or vertical sheltered eulittoral rock. <https://www.marlin.ac.uk/habitats/detail/199> [Accessed 07/03/2022].
- Marine Life Information Network (MarLin) (2022). Wakame (*Undaria pinnatifida*). <https://www.marlin.ac.uk/species/detail/2142> [Accessed 21/03/2022].
- Marine Management Organisation (MMO) (2019). Anonymised derived track lines 2017.
- Marine Management Organisation (MMO) (2020). Surveillance sightings data from 2015 to 2019.
- Marine Management Organisation (MMO) (2021). Fishing Activity for over 15 m United Kingdom Vessels (2016 – 2019).
- Marine Management Organisation (MMO) (2021). UK Sea Fisheries Statistics 2020. <https://www.gov.uk/government/statistics/uk-sea-fisheries-annual-statistics-report-2020> [Accessed 12/11/2021].
- Marine Scotland (2011). Scotland's Marine Atlas: Overall Assessment. <https://marine.gov.scot/information/scotlands-marine-atlas-overall-assessment-2011> [Accessed January /2022].
- Marine Scotland (2014). Farr Point bathymetry. <http://marine.gov.scot/information/farr-point-bathymetry-2014>. [Accessed 21/04/2022].
- Marine Scotland (2014). Draft Regional Locational Guidance-Potential Scottish Test Sites for Deep Water Floating Wind Technology.
- Marine Scotland (2014). Guidance on the Offence of Harassment at Seal Haul-Out Sites. Report to The Scottish Government, June 2014.
- Marine Scotland (2014). Regional Assessment of Hazardous Substances in Coastal and Offshore Marine Environments: 1999-2009. <https://marine.gov.scot/data/regional-assessment-hazardous-substances-coastal-and-offshore-marine-environments-1999-2009> [Accessed 17/03/2022].
- Marine Scotland (2015). Regional Locational Guidance -Consultation Draft. Marine Renewable Energy in the Pentland Firth and Orkney Waters. <https://www.gov.scot/binaries/content/documents/govscot/publications/advice-and-guidance/2015/06/pilot-pentland-firth-orkney-waters-marine-spatial-plan-regional-locational/documents/00479176-pdf/00479176-pdf/govscot%3Adocument/00479176.pdf> [Accessed 11/04/2022].
- Marine Scotland (2015). Scotland's National Marine Plan. A single framework for managing our seas. ISBN 9781785442148. <https://www.gov.scot/publications/scotlands-national-marine-plan/> [Accessed 20/07/2022]
- Marine Scotland (2016). Seabed videos and images. <http://marine.gov.scot/information/marine-scotland-seabed-videos-and-images>. [Accessed 18/01/2022].
- Marine Scotland (2016). The Scottish Shelf Model. Part 2: Pentland Firth and Orkney Waters Sub-Domain Scottish Marine and Freshwater Science Vol 7 No 4. DOI: 10.7489/1693-1.
- Marine Scotland (2018). Clean Seas Environmental Monitoring Programme (CSEMP). https://www.bodc.ac.uk/projects/data_management/uk/merman/assessments_and_data_access/csemp/. [Accessed 28/01/2022].

- Marine Scotland (2020). Case study: sandeels in Scottish waters. <https://marine.gov.scot/sma/assessment/case-study-sandeels-scottish-waters> [Accessed 13/03/2022]
- Marine Scotland (2020). Offshore Wind Energy in Scottish Waters. Regional Locational Guidance. Prepared by ABPmer. October 2020.
- Marine Scotland (2020). The protection of Marine European Protected Species from injury and disturbance, Guidance for Scottish Inshore Waters. July 2020. <https://www.gov.scot/binaries/content/documents/govscot/publications/advice-and-guidance/2020/07/marine-european-protected-species-protection-from-injury-and-disturbance/documents/marine-european-protected-species-guidance-july-2020/marine-european-protected-species-guidance-july-2020/govscot%3Adocument/EPS%2Bguidance%2BJuly%2B2020.pdf> [Accessed 09/02/2022].
- Marine Scotland (2021). Salmon and Sea Trout Fishery Statistics: 1952-2020 Season – reported catch and effort by method. <https://data.marine.gov.scot/dataset/salmon-and-sea-trout-fishery-statistics-1952-2020-season-reported-catch-and-effort-method> [Accessed 10/12/2021].
- Marine Scotland (2021). Salmon Fishery Statistics 2020. <https://www.gov.scot/publications/salmon-fishery-statistics-2020/documents/> [Accessed 10/12/2021].
- Marine Scotland (2022). Marine Projects. <https://marine.gov.scot/marine-projects> [Accessed 11/04/2022].
- Marine Scotland Licensing Operations Team (MS-LOT) (2016). Dounreay Tri Floating Wind Demonstration Project Scoping Opinion. The Electricity Works (Environmental Impact Assessment) (Scotland) Regulations 2000 (as amended). The Marine Works (Environmental Impact Assessment) Regulations 2007 (as amended) Scoping Opinion for the Proposed Section 36 Consent and Associated Marine License(s) Application for Dounreay Tri Floating Wind Demonstration Project, off Dounreay, Caithness.
- Marine Scotland Licensing Operations Team (MS-LOT) (2019). Moray West offshore windfarm application and decision, including appropriate assessment. <https://marine.gov.scot/ml/moray-west-offshore-windfarm> [Accessed 20/03/2022].
- Marine Scotland Licensing Operations Team (MS-LOT) (2021). Scoping Opinion adopted by the Scottish Ministers under: The Marine Works (Environmental Impact Assessment) (Scotland) Regulations 2017 and The Electricity Works (Environmental Impact Assessment) (Scotland) Regulations 2017 Pentland Floating Offshore Wind Farm. 28 September 2021. https://marine.gov.scot/sites/default/files/pfowf_-_scoping_opinion.pdf [Accessed 10/12/2021].
- Marine Scotland Licensing Operations Team (MS-LOT) (2022). Scoping Opinion Addendum adopted by the Scottish Ministers under: The Marine Works (Environmental Impact Assessment) (Scotland) Regulations 2017 and The Electricity Works (Environmental Impact Assessment) (Scotland) Regulations 2017. Pentland Floating Offshore Wind Farm Scoping Addendum Report. 16th May 2022. https://marine.gov.scot/sites/default/files/scoping_opinion_10.pdf [Accessed 20/06/2022].
- Marine Scotland Science (MSS) (2014). Marine Scotland Science Farr Point Bathymetry Survey. <https://www.webarchive.org.uk/wayback/archive/20150829021541/http://www.gov.scot/Topics/marine/science/MSInteractive/datatype/Bathymetry/data/farr-point> [Accessed 13/01/2022].
- Marine Scotland Science (MSS) (2016). Fish and Shellfish Stocks: 2016 Edition. <https://data.marine.gov.scot/dataset/fish-and-shellfish-stocks-2016> [Accessed 02/03/2022]
- Marine Scotland Science (MSS) (2019). Application of acoustic tagging, satellite tracking and genetics to assess the mixed stock nature of coastal net fisheries. <https://marine.gov.scot/data/application-acoustic-tagging-satellite-tracking-and-genetics-assess-mixed-stock-nature-coastal> [Accessed 01/04/2022]
- Marine Scotland Science (MSS) (2019). ScotMER Diadromous Fish Evidence Map. <https://www.nsrac.org/wp-content/uploads/2020/06/ScotMER-Presentation.pdf> [Accessed 01/04/2022]
- Maritime and Coastguard Agency (MCA) (2008). Marine Guidance Note 372 (Merchant and Fishing) Offshore Renewable Energy Installations (OREIs): Guidance to Mariners Operating in the Vicinity of UK OREIs. Southampton: MCA.

- Maritime and Coastguard Agency (MCA) (2021). MGN 654 (Merchant and Fishing) Safety of Navigation: Offshore Renewable Energy Installations (OREIs) – Guidance on UK Navigational Practice, Safety and Emergency Response. Southampton: MCA. <https://www.gov.uk/government/publications/mgn-654-mf-offshore-renewable-energy-installations-orei-safety-response> [Accessed 28/03/2022].
- Marshall, C. & Wilson, E. (2009). *Pecten maximus*, Great Scallop. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme. <http://www.marlin.ac.uk/species/detail/1398> [Accessed 12/07/2021].
- Martin, B, MacDonnell, J, Vallarta, J, Lumsden, E and Burns, R. (2011). HYWIND Acoustic Measurement Report: Ambient Levels and HYWIND Signature. Technical report for Statoil by JASCO Applied Sciences.
- Martin, M. (2022). RSPB Avian Influenza update. RSPB. <https://community.rspb.org.uk/ourwork/b/scotland/posts/avian-influenza-update> [Accessed 19/07/2022].
- Masden, E.A. (2015). Developing an avian collision risk model to incorporate variability and uncertainty. *Scottish Marine and Freshwater Science*, **6(14)**.
- Masden, E.A., Haydon, D.T., Fox, A.D. & Furness, R.W. (2010). Barriers to movement: modelling energetic costs of avoiding marine wind farms amongst breeding seabirds. *Marine Pollution Bulletin*, **60**: 1085-1091.
- Masselink, G., Russell, P., Rennie, A., Brooks, S. and Spencer, T. (2020) Impacts of climate change on coastal geomorphology and coastal erosion relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 158–189.
- Maxwell, S.M., Kershaw, F., Locke, C.C., Conners, M.G., Dawson, C., Aylesworth, S., Loomis, R. and Johnson, A.F. (2022). Potential impacts of floating wind turbine technology for marine species and habitats. *Journal of Environmental Management*, **307**: 114577. ISSN 0301-4797. <https://doi.org/10.1016/j.jenvman.2022.114577> [Accessed 06/06/2022].
- Mazik, K., Strong, J., Little, S., Bhatia, N., Mander, L., Barnard, S. and Elliott, M. (2015). A review of the recovery potential and influencing factors of relevance to the management of habitats and species within Marine Protected Areas around Scotland. Scottish Natural Heritage Commissioned Report No. 771. <https://www.nature.scot/doc/naturescot-commissioned-report-771-review-recovery-potential-and-influencing-factors-relevance> [Accessed 04/03/2022].
- McBreen, F., Askew, N., Cameron, A., Connor, D., Ellwood, H. & Carter, A. (2010). UKSeaMap 2010: Predictive mapping of seabed habitats in UK waters. JNCC Report No. 446, JNCC, Peterborough. <https://hub.jncc.gov.uk/assets/07a4513b-f04a-41c2-9be2-4135a14d0d15> [Accessed 12/07/2021].
- McCauley (1998). Radiated Underwater Noise Measured From the Drilling Rig Ocean General, Rig Tenders Pacific Ariki and Pacific Frontier, Fishing Vessel Reef Venture and Natural Sources in the Timor Sea, Northern Australia. C98-20. Centre for Marine Science and Technology, Curtin University of Technology.
- McConnell, B., Lonergan, M., and Dietz, R. (2012). Interactions between seals and offshore wind farms. *The Crown Estate*, pp. 41. ISBN: 978-1-906410-34-6.
- McGinty, N., Barton, A.D., Record, N.R., Finkel, Z.V., Johns, D.G., Stock, C.A. & Irwin, A.J. (2021). Anthropogenic climate change impacts on copepod trait biogeography. *Global Change Biology*, **27(7)**: 1431-1442.
- McQueen, A.D., Suedel, B.C., de Jong, C. and Thomsen, F. (2020). Ecological risk assessment of underwater sounds from dredging operations. *Integrated Environmental Assessment and Management*, **16(4)**: 481-493.
- Meißner, K, S. H., Bellebaum J. & Sordyl, H. 2006. Impacts of submarine cables on the marine environment: a literature review. Germany, Institute of Applied Ecology Ltd. <https://tethys.pnnl.gov/sites/default/files/publications/Meissner-et-al-2006.pdf> [Accessed 17/03/2022].
- Mendel, B., Kotzerka, J., Sommerfeld, J., Schwemmer, H., Sonntag, N. & Garthe, S. (2014). Effects of the alpha ventus offshore test site on distribution patterns, behaviour and flight heights of seabirds. In *Ecological Research at the Offshore Windfarm alpha ventus* (pp. 95-110). Springer Fachmedien Wiesbaden

- Merrill, A.S., Chamberlain, J.L. & Ropes, J.W., (1969). Ocean quahog fishery. In Encyclopedia of marine resources (ed. F.E. Firth), pp. 125-129. New York: VanNorstrand Reinhold Publ.
- Met Office (2018). UKCP 18 Guidance: Representative Concentration Pathways. <https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-guidance---representative-concentration-pathways.pdf> [Accessed 31/05/2022].
- Met Office (2019). UKCP18 Factsheet: Precipitation. <https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-factsheet-precipitation.pdf> [Accessed 25/04/2022].
- Met Office (2019). UKCP18 Factsheet: Temperature. <https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-fact-sheet-temperature.pdf> [Accessed 25/04/2022].
- Met Office (2019). UKCP18 Factsheet: Wind. https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-fact-sheet-wind_march21.pdf [Accessed 25/04/2022].
- Met Office (2021). UK Climate Projections: Headline Findings, July 2021. https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18_headline_findings_v3.pdf [Accessed 17/04/2022].
- Mieszkowska, N., Burrows, M. and Sugden, H. (2020) Impacts of climate change on intertidal habitats relevant to the coastal and marine environment around the UK. MCCIP Science Review 2020, 256–271.
- Military Aviation Authority (2019). Manual of Military Air Traffic Management (30 September 2019). https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/835083/MATM_Issue_12.pdf [Accessed 19/07/2022].
- Military Aviation Authority (2021). Military Aviation Authority Regulatory Publication 3000 Series: Air Traffic Management Regulations (20 April 2021). <https://www.gov.uk/government/collections/3000-series-air-traffic-management-regulations-atm> [Accessed 19/07/2022].
- Miller, J.H., Potty, G.R., and Hui-Kwan, K. (2016). Pile-driving pressure and particle velocity at the seabed: quantifying effects on crustaceans and groundfish. In: Popper, A.N., Hawkins, A.D. (Eds.), The Effects of Noise on AQUATIC Life II. Springer, New York, NY, pp. 705–712.
- Miller, P. I., & Christodoulou, S. (2014). Frequent locations of oceanic fronts as an indicator of pelagic diversity: Application to marine protected areas and renewables. *Marine Policy*, 45, 318-329.
- Ministry of Defence (MoD) (2022). UK Military Aeronautical Information Publication (2022). <https://www.aidu.mod.uk/aip/aipVolumes.html> [Accessed 19/07/2022].
- Mitchell, I., Aonghais Cook, A., Douse, A., Foster, S., Kershaw, M., Neil McCulloch, N., Murphy, M. & Hawkrige, J. (2018). Marine Bird Breeding Success/failure. UK Marine Online Assessment Tool. <https://moat.cefas.co.uk/biodiversity-food-webs-and-marine-protected-areas/food-webs/marine-bird-breeding-success/> [Accessed 04/08/2022].
- Mitchell, I., Daunt, F., Frederiksen, M. & Wade, K. (2020). Impacts of climate change on seabirds, relevant to the coastal and marine environment around the UK. MCCIP Science Review **2020**: 382–399.
- Mitchell, P.I., Newton, S.F., Ratcliffe, N. & Dunn, T.E. (2004). Seabird populations of Britain and Ireland. T. & AD Poyser, London.
- MMT (2021). Environmental Baseline Report. Pentland Floating Offshore Wind Farm Geophysical & Environmental Survey Pentland Firth June – July 2021. 103760-HWL-MMT-SUR-REP-ENVEBSRE REVISION 02.
- MMT. (2021). Geophysical Factual Survey Report: Export cable route (Nearshore Area). 103760-HWL-MMT-SUR-REP-SURRENEAR-02. August 2021.

- MoD (2015). Shutdown of shore test facility reactor. <https://www.gov.uk/government/news/shutdown-of-shore-test-facility-reactor> [Accessed 27/03/2022].
- Moore, C. G. (2015). Biological analyses of underwater video from research cruises in marine protected areas and renewable energy locations around Scotland in 2014. Scottish Natural Heritage Commissioned Report No. 819. <https://www.nature.scot/naturescot-commissioned-report-819-biological-analyses-underwater-video-research-cruises-marine> [Accessed 13/01/2022].
- Moore, P.J. and Smale, D.A. (2020) Impacts of climate change on shallow and shelf subtidal habitats relevant to the coastal and marine environment around the UK. MCCIP Science Review 2020, 272–292.
- Moray East Offshore Wind Farm (Moray East) (2012). Moray East ES. <https://www.morayeast.com/application/files/9415/8013/6711/Chapter-8-Human-Environment-OGS-IA.pdf> [Accessed 19/07/2022].
- Moray Offshore Windfarm (West) Limited (MOWWL) (2018). Moray West Offshore Windfarm: Environmental Impact Assessment Report. Volume 2, Chapter 10: Offshore Ornithology. 536pp. <https://marine.gov.scot/sites/default/files/00538033.pdf> [Accessed 10/01/2022].
- Moray Offshore Windfarm (West) Limited (MOWWL) (2018). Moray West Offshore Windfarm – Addendum to Section 36 Consent and Marine Licence Application. 634pp. http://marine.gov.scot/datafiles/lot/Moray_West/Addendum/Volume%201%20-%20Addendum%20Report.pdf [Accessed 10/01/2022].
- Moray Offshore Windfarm (West) Limited (MOWWL) (2018). Moray West Offshore Windfarm: Report to Inform Appropriate Assessment. <https://marine.gov.scot/data/moray-west-offshore-windfarm-report-inform-appropriate-assessment> [Accessed 10/01/2022].
- Munro, J., Gauthier, D., and Gagne', J. A. 1998. Description of a herring (*Clupea harengus* L.) spawning ground on Ile aux Lie`vres, in the upper estuary of the St. Lawrence. Canadian Technical Report of Fisheries and Aquatic Sciences, 2239. 34 p
- Murphy, C.T., Reichmuth, C., and Mann, D. (2015). Vibrissal sensitivity in a harbor seal (*Phoca vitulina*). *Journal of Experimental Biology*, **218**(15): 2463–2471. <https://doi.org/10.1242/jeb.118240> [Accessed 21/05/2022].
- Murphy, S., Evans, P. G., Pinn, E., & Pierce, G. J. (2021). Conservation management of common dolphins: Lessons learned from the North-East Atlantic. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **31**: 137-166.
- National Air Traffic Services (NATS) (2018). Chart of United Kingdom Airspace Restrictions and Hazardous Areas. <https://www.aurora.nats.co.uk/htmlAIP/Publications/2019-01-03-AIRAC/graphics/69310.pdf> [Accessed 11/04/2022].
- National Biodiversity Network (NBN) (2015). National Biodiversity Network (NBN) Atlas. <https://nbn.org.uk/content-block/nbn-gateway/> [Accessed 12/07/2021].
- National Marine Fisheries Service (NMFS) (2018). 2018 Revision to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0) - Underwater Thresholds for Onset of Permanent and Temporary Threshold Shifts. NOAA Technical Memorandum NMFS-OPR-59. April 2018.
- National Marine Plan Interactive (NMPi) (2018). Ocean Quahog. <https://marine.gov.scot/node/12704> [Accessed 13/01/2022].
- National Marine Plan Interactive (NMPi) (2022). Marine Scotland maps: National Marine Plan Interactive. <https://marinescotland.atkinsgeospatial.com/NMPI/> [Accessed 04/05/2022].
- National Oceanic and Atmospheric Administration (NOAA) (2021). National Centers for Environmental Information. Magnetic Field Calculators – World Magnetic Model (WMM 2019-2024). <https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml> [Accessed 02/12/2021].

-
- National Oceanic and Atmospheric Administration (NOAA) (2021). National Centers for Environmental Information. Geomagnetism FAQs. <https://www.ngdc.noaa.gov/geomag/faqgeom.shtml> [Accessed 02/12/2021]
- National Marine Plan Interactive (NMPi) (2022). Nature Conservation Marine Protected Areas. <https://marine.gov.scot/maps/nmpi> [Accessed 02/12/2021].
- NatureScot (2014). Statistical approaches to aid identification of Marine Protected Areas for Minke whale, Risso's dolphin, white-beaked dolphin and basking shark. NatureScot Commissioned Report 594.
- NatureScot (2017). Scottish Marine Wildlife Watching Code. <https://www.nature.scot/sites/default/files/2017-06/Publication%202017%20-%20The%20Scottish%20Marine%20Wildlife%20Watching%20Code%20SMWWC%20-%20Part%201%20-%20April%202017%20%28A2263518%29.pdf> [Accessed 16/04/2022].
- NatureScot (2018). Interim Guidance on apportioning impacts from marine renewable developments to breeding seabird populations in SPAs. <https://www.nature.scot/doc/interim-guidance-apportioning-impacts-marine-renewable-developments-breeding-seabird-populations> [Accessed 25/08/2021].
- NatureScot (2020). Assessing the Impacts on Wild Land Areas – technical guidance.
- NatureScot (2020). Atlantic Salmon. <https://www.nature.scot/plants-animals-and-fungi/fish/freshwater-fish/atlantic-salmon> (Accessed 12/07/2021).
- NatureScot (2020). Conservation and Management Advice: Inner Hebrides and the Minches SAC. July 2020.
- NatureScot (2020). Conservation and Management Advice: North East Lewis MPA. December 2020.
- NatureScot (2020). Conservation and Management Advice: Sea of the Hebrides MPA. December 2020.
- NatureScot (2020). Conservation and Management Advice: Southern Trench MPA. December 2020.
- NatureScot (2020). European Eel. <https://www.nature.scot/plants-animals-and-fungi/fish/freshwater-fish/european-eel> [Accessed 26/06/2022]
- NatureScot (2020). Freshwater pearl mussel. <https://www.nature.scot/plants-animals-and-fungi/invertebrates/freshwater-invertebrates/freshwater-pearl-mussel> [Accessed 12/07/2021].
- NatureScot (2020). Priority Marine Features in Scotland's seas. <https://www.nature.scot/professional-advice/protected-areas-and-species/priority-marine-features-scotlands-seas> [Accessed 08/05/2022].
- NatureScot (2020). Scottish Biodiversity List. <https://www.nature.scot/scotlands-biodiversity/scottish-biodiversity-strategy/scottish-biodiversity-list> [Accessed 12/07/2021].
- NatureScot (2020). Seasonal periods for birds in the Scottish marine environment. Short Guidance Note. <https://www.nature.scot/sites/default/files/2020-10/Guidance%20note%20-%20Seasonal%20definitions%20for%20birds%20in%20the%20Scottish%20Marine%20Environment.pdf> [Accessed 25/08/2021].
- NatureScot (2020). The effect of aviation obstruction lighting on birds at wind turbines, communication towers and other structures. NatureScot Information Note. <https://www.nature.scot/sites/default/files/2020-10/Wind%20farm%20impacts%20on%20birds%20-%20Turbine%20lighting%20and%20birds%20-%20Information%20Note.pdf> [Accessed 20/04/2022].
- NatureScot (2021). Conservation and Management Advice: Moray Firth SAC. Report 8327. March 2021.
- NatureScot (2021). Guidance – Assessing the cumulative landscape and visual impact of onshore wind energy development.
- NatureScot (2021). Sandeels. <https://www.nature.scot/plants-animals-and-fungi/fish/sea-fish/sandeel>. [Accessed 12/07/2021].
- NatureScot (2022). Avian flu task force announced. <https://www.nature.scot/avian-flu-task-force-announced> [Accessed 19/07/2022].

- NatureScot (2022). European spiny lobster. <https://www.nature.scot/plants-animals-and-fungi/invertebrates/marine-invertebrates/european-spiny-lobster> [Accessed 12/07/2021].
- NatureScot (2022). Island nature reserve closes to protect seabirds. <https://www.nature.scot/island-nature-reserves-close-protect-seabirds> [Accessed 19/07/2022].
- Neal, K. & Wilson, E. (2008). Cancer pagurus, Edible crab. Marine Life Information Network: Biology and Sensitivity Key Information Sub-programme. <http://www.marlin.ac.uk/species/detail/1179> [Accessed 03/05/2021].
- Neal, K.J. and Pizzolla, P.F. (2008). Common shore crab (*Carcinus maenas*). <https://www.marlin.ac.uk/species/detail/1497> [Accessed 03/05/2021].
- Nedwell J R, Langworthy J, Howell D (2003). Assessment of subsea noise and vibration from offshore wind turbines and its impact on marine wildlife. Initial measurements of underwater noise during construction of offshore wind farms, and comparison with background noise. Subacoustech Report Ref. 544R0423, published by COWRIE, May 2003.
- Nedwell, J. and Brooker, A. G. (2008). Measurement and assessment of background underwater noise and its comparison with noise from pin pile drilling operations during installation of the SeaGen tidal turbine device, Strangford lough. Subacoustech Report No. 72 R 0120 to COWRIE Ltd. 1-37.
- Nedwell, J. and Howell, D. (2004). A review of offshore windfarm related underwater noise sources. CROWIE Report No. 544 R 0308.
- Nedwell, J., Mason, T., Barham, R. and Cheesman, S. (2012). Assessing the environmental impact of underwater noise during offshore windfarm construction and operation. In Proceedings of Acoustics (pp. 1-5).
- Nedwell, J., Turnpenny, A., Langworthy, J. and Edwards, B. (2003). Measurements of underwater noise during piling at the Red Funnel Terminal, Southampton, and observations of its effect on caged fish. Subacoustics LTD. Report, 558.
- Nedwell, J.R., Lovell, J. and Turnpenny, A.W. (2005). Experimental validation of a species-specific behavioral impact metric for underwater noise. The Journal of the Acoustical Society of America, **118**(3).
- Newson, S.E., Mitchell, P.I., Parsons, M., O'Brien, S.H., Austin, G.E., Benn, S., Black, J., Blackburn, J., Brodie, B., Humphreys, E. & Leech, D. (2008). Population decline of Leach's Storm-petrel *Oceanodroma leucorhoa* within the largest colony in Britain and Ireland. *Seabird*. 21: 77-84.
- North Sea Transition Authority (2022). Oil and gas infrastructure data set. <https://www.nstauthority.co.uk/data-centre/nsta-open-data/> [Accessed 11/04/2022].
- North Western Inshore Fisheries and Conservation Authority (NWIFCA) (2022). Brown / Edible Crab. <https://www.nw-ifca.gov.uk/managing-sustainable-fisheries/brown-edible-crab/#:~:text=Adult%20males%20usually%20remain%20in,inhabit%20depths%20up%20to%20100m> [Accessed 11/04/2022].
- Northridge, S., Cargill, A., Coram, A., Mandleberg, L., Calderan, S. & Reid, R. (2010). Entanglement of minke whales in Scottish waters: an investigation into occurrence, causes and mitigation. Contract Report. Final Report to Scottish Government CR/2007/49.
- Nuvia (2021). Radiation Briefing Pack, Pentland Floating Offshore Wind Farm Issue 1, November 2021. Document 72944/TR/001.
- Nuvia (2021). Radiation Risk Assessment for the Pentland Offshore Wind Farm Installation. 72944/RRA/001. Issue: Issue 1. December 2021.
- Ofcom (2009) Tall structures and their impact on broadcast and other wireless services. https://www.ofcom.org.uk/__data/assets/pdf_file/0026/63494/tall_structures.pdf [Accessed 16/05/2022].
- Office for National Statistics (2019 - 2021). Business Register and Employment Survey. <https://www.ons.gov.uk/surveys/informationforbusinesses/businesssurveys/businessregisterandemploymentsurvey> [Accessed 11/11/2021].

- Office for National Statistics (2019). Regional Gross Value Added (balanced) by Industry; local authorities (Scotland).
<https://www.ons.gov.uk/economy/grossvalueaddedgva/datasets/regionalgrossvalueaddedbalancedlocalauthoritiesbynuts1region> [Accessed 11/11/2021].
- Office for National Statistics (2020 - 2021). Labour supply for Highland local authority area.
<https://www.nomisweb.co.uk/reports/lmp/la/1946157421/report.aspx> [Accessed 04/03/2022].
- Office for National Statistics (2020). Population estimates for local authority areas.
<https://www.nomisweb.co.uk/query/construct/summary.asp?mode=construct&version=0&dataset=2002> [Accessed 04/03/2022].
- Office for National Statistics (2020). UK Business Demography datasets.
<https://www.ons.gov.uk/businessindustryandtrade/business/activitysizeandlocation/datasets/businessdemographyreferencetable> [Accessed 04/03/2022].
- Office for National Statistics (2021). Annual Survey of Hours and Earnings.
<https://www.ons.gov.uk/employmentandlabourmarket/peopleinwork/earningsandworkinghours/bulletins/annualsurveyofhoursandearnings/2021> [Accessed 04/03/2022].
- Ofgem (2019). Orkney transmission project – Conditional decision on Final Needs Case.
<https://www.ofgem.gov.uk/publications/orkney-transmission-project-conditional-decision-final-needs-case> [Accessed 16/05/2022].
- O'Hara Murray, R. and Campbell, L (2021). Pentland Firth and Orkney Waters Climatology 1.02. DOI: 10.7489/12041-1
- Olin, A.B., Banas, N.S., Wright, P.J., Heath, M.R. & Nager, R.G. (2020). Spatial synchrony of breeding success in the blacklegged kittiwake *Rissa tridactyla* reflects the spatial dynamics of its sandeel prey. *Marine Ecology Progress Series*, 638: 177-190.
- Onoufriou, J., Russell, D.J., Thompson, D., Moss, S.E. and Hastie, G.D., (2021). Quantifying the effects of tidal turbine array operations on the distribution of marine mammals: Implications for collision risk. *Renewable Energy*, 180, pp.157-165.
- Orkney Research Centre for Archaeology (ORCA) (2015). Hexicon Tri: Marine Historic Environment Technical Baseline Report. Microsoft Word - Dounreay Tri Demo - ES - Appendix Contents and Cover Sheets (marine.gov.scot).
- Ordtek (2021). Unexploded Ordnance (UXO) Hazard Assessment for the Pentland Floating Offshore Wind Farm. Document Reference: JM7013_UXO_HA_V1.1. 14th April 2021.
- Ordtek. (2021). UXO Risk Assessment with Risk Mitigation Strategy: Pentland Floating Offshore Windfarm. Report Number: JM7013_DTS_RARMS_V1.1. 14 April 2021.
- Orkney Islands Council (OIC) (2017). Orkney Local Development Plan 2017.
- Orsted. (2021). Hornsea Four Environmental Statement. Volume A2 Chapter 5: Offshore & Intertidal Ornithology. 212pp. <https://infrastructure.planninginspectorate.gov.uk> (reference EN010098) [Accessed 10/01/2022].
- OSPAR Commission (1998). OSPAR Guidelines for the Management of Dredged Material. <https://dredging.org/documents/ceda/downloads/environment-ospar-dmguidelines.pdf> [Accessed 10/05/2022].
- OSPAR Commission (2008). Background document on potential problems associated with power cables other than those for oil and gas activities. 2008.
- OSPAR Commission (2008). Co-ordinated Environmental Monitoring Programme - Assessment manual for contaminants in sediment and biota. OSPAR Commission, 2008, publication no. 379/2008. ISBN 978-1-906840-20-4. 39 pp. <https://www.eea.europa.eu/data-and-maps/indicators/hazardous-substances-in-marine-organisms-3/ospar-2008> [Accessed 14/01/2022].

- OSPAR Commission (2009). OSPAR Background for Ocean Quahog *Artica islandica*.
- OSPAR Commission (2017). Contaminant assessments, Intermediate Assessment. <https://oap.ospar.org/en/ospar-assessments/intermediate-assessment-2017/pressures-human-activities/contaminants/> [Accessed 09/01/2022].
- OSPAR Commission (2021). List of Threatened and/or Declining Species & Habitats. <https://www.ospar.org/work-areas/bdc/species-habitats/list-of-threatened-declining-species-habitats> [Accessed 12/07/2021].
- Palmer, L., Gillespie, D., MacAulay, J.D.J., Sparling, C.E., Russell, D.J.F. & Hastie, G.D. (2021). Harbour porpoise (*Phocoena phocoena*) presence is reduced during tidal turbine operation. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **31**(12): 3543– 3553. <https://doi.org/10.1002/aqc.3737> [Accessed 19/03/2021].
- Palmer, M., Howard, T., Tinker, J., Lowe, J., Bricheno, L., Calvert, D and Edwards, T., Gregory, J., Harris, G., Krijnen, J., Pickering, M., Roberts, C. and Wolf, J. (2018). UKCP18 Marine Report. <https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-marine-report-updated.pdf> [Accessed 25/04/2022].
- Particles Retrieval Advisory Group (Dounreay) (PRAG-D) (2011). Annual Report to SEPA And DSRL Summary Of PRAG(D) Recommendations and findings during the period April 2010 to March 2011. https://www.sepa.org.uk/media/101095/prag-d_annual_report_march-2011.pdf [Accessed 07/06/2022].
- Particles Retrieval Advisory Group (Dounreay) (PRAG-D) (2012). PRAG-D reports and Dounreay Particle Finds Datasheets. <https://www.gov.uk/government/publications/radioactive-particles-in-the-environment-around-dounreay> [Accessed 07/06/2022].
- Pawson, M.G. (1995) Biogeographical identification of English Channel fish and shellfish stocks. Fisheries Research technical report No 99.
- Paxton, C., L. Scott-Hayward, and E. Rexstad. (2014). Statistical approaches to aid the identification of Marine Protected Areas for minke whale, Risso's dolphin, white-beaked dolphin and basking shark. Scottish Natural Heritage Commissioned Report No. 594.
- Paxton, C., L. Scott-Hayward, M. Mackenzie, E. Rexstad, and L. Thomas. (2016). Revised Phase III Data Analysis of Joint Cetacean Protocol Data Resources. JNCC Report No.517.
- Perkins, A., Ratcliffe, N., Suddaby, D., Ribbands, N., Smith, C., Ellis, P., Meek, E. & Bolton, M. (2018). Combined bottom-up and top-down pressures drive catastrophic population declines of Arctic skuas in Scotland. *Journal of Animal Ecology*, **87**(6): 1573-1586.
- Perrow, M.R. (2019). *Wildlife and Wind Farms, Conflicts and Solutions, Volume 3. Offshore Potential Effects*. Pelagic Publishing, Exeter, UK.
- Peschko, V., Mendel, B., Müller, S., Markones, N., Mercker, M. & Garthe, S. (2020). Effects of offshore windfarms on seabird abundance: Strong effects in spring and in the breeding season. *Marine Environmental Research*, **162**: 105-157
- Peschko, V., Mendel, B., Müller, S., Markones, N., Mercker, M. and Garthe, S. (2020). Effects of offshore windfarms on seabird abundance: Strong effects in spring and in the breeding season. *Marine Environmental Research*, **162**: 105-157.
- Pike, D., Gunnlaugsson, T., Elvarsson, B., and Víkingsson, G. (2011). Correcting perception bias for Icelandic aerial surveys, 2007 and 2009. North Atlantic Marine Mammal Commission (NAMMCO) Report SC/18/AESP/08. doi: 10.13140/RG.2.1.1028.0727.
- Pinnegar, J.K., Wright, P.J., Maltby, K. and Garrett, A. (2020) Impacts of climate change on fisheries relevant to the coastal and marine environment around the UK. MCCIP Science Review 2020, 456–481.
- Plets, R., Dix, J., & Bates, R. (2013). *Marine Geophysics Data Acquisition, Processing and Interpretation: Guidance Notes*. English Heritage Publishing: Swindon.
- PMSS (2007). North Hoyle Annual FEPA Monitoring Report 2005-06 – Ornithology.

- Popper, A. N., Hawkins, A. D., Fay, R. R., Mann, D. A., Bartol, S., Carlson, T. J., ... & Tavalga, W. N. (2014). Sound exposure guidelines. In ASA S3/SC1. 4 TR-2014 Sound Exposure Guidelines for Fishes and Sea Turtles: A Technical Report prepared by ANSI-Accredited Standards Committee S3/SC1 and registered with ANSI (pp. 33-51). Springer, Cham.
- Porsmoguer, SB, Bănaru, D, Boudouresque, CF, Dekeyser, I and Almarcha, C. (2015). Hooks equipped with magnets can increase catches of blue shark (*Prionace glauca*) by longline fishery. *Fisheries Research*. 172(1): 345-351
- Priede, I.G. and Miller, P.I. (2008). A basking shark (*Cetorhinus maximus*) tracked by satellite together with simultaneous remote sensing II: New analysis reveals orientation to a thermal front. *Fisheries Research*, **95**(2-3): 370-372.
- Prysmian. (2022). EMF Calculations – 66 kV Inter-array Cables. PPL22001-SE-CAL-001.
- Putman, N., Lohmann, K., Putman, E., Quinn, P., Klimley, P., Noakes, D (2014). Evidence for Geomagnetic Imprinting as a Homing Mechanism in Pacific Salmon, *Current Biology*, Volume 23, Issue 4, 2013, Pages 312-316, ISSN 0960-9822 [Accessed 06/06/2022].
- Radford, A.N., Kerridge, E. and Simpson, S.D., (2014). Acoustic communication in a noisy world: can fish compete with anthropogenic noise?. *Behavioral Ecology*, 25(5), pp.1022-1030.
- Raine, H., Borg, J.J., Raine, A., Bairner, S. & Borg-Cardona, M. (2007). Light Pollution and its effects on Yelkouan Shearwaters in Malta; causes and solutions. BirdLife Malta.
- Ramboll (2020). Space Hub Sutherland – Environmental Impact Assessment Report: Volume 2: Main Report. https://wam.highland.gov.uk/wam/files/DBC992A0BD1886EB8CDE6DB95F9C7D7A/pdf/20_00616_FUL-EIAR_-_VOL_2_-_MAIN_REPORT-2025449.pdf [Accessed 16/05/2022].
- Ramsay, D.L. and Brampton, A.H. (2000). Coastal Cells in Scotland: Cell 4 - Duncansby Head to Cape Wrath. Scottish Natural Heritage Research, Survey and Monitoring Report No 146.
- Read, A.J., Drinker, P., and Northridge, S. (2005). Bycatch of marine mammals in U.S. and global fisheries. *Conservation Biology*, **20**(1): 163-169.
- Rebke, M., Dierschke, V., Weiner, C.N., Aumüller, R., Hill, K. & Hill, R. (2019). Attraction of nocturnally migrating birds to artificial light: the influence of colour, intensity and blinking mode under different cloud cover conditions. *Biological Conservation*, **233**: 220-227.
- Régnier, T., Gibb, F.M. and Wright, P.J. (2017). Importance of trophic mismatch in a winter-hatching species: evidence from lesser sandeel. *Marine Ecology Progress Series*, **567**: 185-197.
- Reid, J.B., Evans, P.G.H. & Northridge, S.P. (2003). Atlas of Cetacean distribution in north-west European waters, JNCC, Peterborough, ISBN 1 86107 550 2.
- Rhoads DC, Boyer LF (1982). The Effects of Marine Benthos on Physical Properties of Sediments. A Successional Perspective. In: McCall PL, Tevesz MJS, editors. *Anim. Relations Biog. Alter. Sediments*, Springer US; 1982, p. 3–43.
- Riahi, K., Rao, S., Krey, V., Cho, C., Chirkov, V., Fischer, G., Kindermann, G., Nakicenovic, N. and Rafaj, P., (2011). RCP 8.5—A scenario of comparatively high greenhouse gas emissions. *Climatic change*, 109, 33-57.
- Rich, C. & Longcore, T. (2006). *Ecological consequences of artificial lighting*. Island Press, Washington, D.C., USA.
- Rigby, C.L., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M.P., Herman, K., Jabado, R.W., Liu, K.M., Marshall, A., Romanov, E. & Kyne, P.M. (2021). *Cetorhinus maximus* (amended version of 2019 assessment). The IUCN Red List of Threatened Species 2021: e.T4292A194720078. <https://dx.doi.org/10.2305/IUCN.UK.2021-1.RLTS.T4292A194720078.en> [Accessed 04/05/2022]
- Risch, D., Castellote, M., Clark, C.W. et al. (2014). Seasonal migrations of North Atlantic minke whales: novel insights from large-scale passive acoustic monitoring networks. *Movement Ecology*, **2**(24). <https://doi.org/10.1186/s40462-014-0024-3> [Accessed 07/05/2022]

- Roberts, L., Cheesman, S., Elliott, M. and Breithaupt, T. (2016). Sensitivity of *Pagurus bernhardus* (L.) to substrate-borne vibration and anthropogenic noise. *Journal of Experimental Marine Biology and Ecology*, 474, 185-194.
- Robertson, M. J., Scruton, D. A., Gregory, R. S. and Clarke, K. D. (2006) Effect of suspended sediment on freshwater fish and fish habitat. Canadian Technical Report of Fisheries and Aquatic Sciences.
- Robinson, K.P., Einfeld, S.M., Costa, M. and Simmonds, M.P. (2010). Short-beaked common dolphin (*Delphinus delphis*) occurrence in the Moray Firth, north-east Scotland. *Marine Biodiversity Records*, 3: e55 doi: 10.1017/S1755267210000448.
- Robinson, R.A (2005). BirdFacts: profiles of birds occurring in Britain & Ireland - BTO Research Report No: 407. <http://www.bto.org/birdfacts> [Accessed 14/05/2022].
- Robinson, R.A. (2017). BirdFacts: profiles of birds occurring in Britain and Ireland. <http://www.bto.org/birdfacts> [Accessed 14/05/2022].
- Robinson, S.P., Theobald, P.D., Hayman, G., Wang, L.S., Lepper, P.A., Humphrey, V., Mumford, S. (2011). Measurement of underwater noise arising from marine aggregate dredging operations. MALSF Report.
- Ronconi, R.A., Allard, K.A. & Taylor, P.D. (2015). Bird interactions with offshore oil and gas platforms: review of impacts and monitoring techniques. *Journal of Environmental Management*, 147: 34-45.
- Ross-Smith, V.H., Thaxter, C.N., Masden, E.A., Shamoun-Baranes, J., Burton, N.H.K., Wright, L.J., Rehfish, M.M. & Johnston, A. (2016). Modelling flight heights of lesser black-backed gulls and great skuas from GPS: a Baeyesian approach. *Journal of Applied Ecology*, 53: 1676-1685.
- Royal Navy (2019). Exercise Joint Warrior reaches its high point. <https://www.royalnavy.mod.uk/news-and-latest-activity/news/2019/april/08/190408-joint-warrior-high-point> [Accessed 16/05/2022].
- Royal Navy (2021). Royal Navy Operations. <https://www.royalnavy.mod.uk/news-and-latest-activity/operations> [Accessed 11/04/2022].
- Royal Society for the Protection of Birds (RSPB). (2018). Kittiwake joins the Red List of birds facing risk of global extinction. <https://www.rspb.org.uk/about-the-rspb/about-us/media-centre/press-releases/kittiwake-joins-the-red-list-of-birds-facing-risk-of-global-extinction> [Accessed 20/05/2022].
- Royal Yachting Association (RYA) (2019). The RYA's Position on Offshore Renewable Energy Developments: Paper 1 (of 4) – Wind Energy. 5th revision. Southampton: RYA.
- Royal Yachting Association (RYA) (2019). UK Coastal Atlas of Recreational Boating 2.1. Southampton: RYA.
- Russell, D., Brasseur, S., Thompson, D., Hastie, G., Janik, V., Aarts, G., McClintock, B., Matthiopoulos, J., Moss, S. and McConnell, B., 2014. Marine mammals trace anthropogenic structures at sea. *Current Biology*, 24(14), pp.R638-R639.
- Russell, D., Jones, E. and Morris, C. (2017). Estimated At-sea Distribution of Grey and Harbour Seals - updated maps 2017. <https://data.marine.gov.scot/dataset/estimated-sea-distribution-grey-and-harbour-seals-updated-maps-2017> [Accessed 16/03/2022].
- Sadykova, D., Scott, B.E., De Dominicis, M., Wakelin, S.L., Wolf, J. & Sadykov, A. (2020). Ecological costs of climate change on marine predator–prey population distributions by 2050. *Ecology and evolution*, 10(2): 1069-1086.
- Santos, M. & Pierce, G. (2003). The diet of harbour porpoise (*Phocoena phocoena*) in the northeast Atlantic. *Oceanography and Marine Biology: an Annual Review* 2003, 41: 355-390.
- Scheidat, M., Tougaard, J., Brasseur, S., Carstensen, J., L Van Polanen-Petel, T., Teilmann, J. and Reijnders, P. (2011): Harbour porpoises (*Phocoena phocoena*) and wind farms: a case study in the Dutch North Sea. *Environmental Research Letters*, 6(2) S: 025102. ISSN: 1748-9326.

- Schultze, L. K. P., Merckelbach, L. M., Horstmann, J., Raasch, S., & Carpenter, J. R. (2020). Increased mixing and turbulence in the wake of offshore wind farm foundations. *Journal of Geophysical Research: Oceans*, 125, <https://doi.org/10.1029/2019JC015858> [Accessed 21/04/2022].
- Scotland's Environment (2022). Biotoxin Risk Management. <https://informatics.sepa.org.uk/BiotoxinRiskManagement/> [Accessed 11/02/2022].
- Scott, K.; Harsanyi, P.; Easton, B.A.A.; Piper, A.J.R.; Rochas, C.M.V.; Lyndon, A.R. (2021). Exposure to Electromagnetic Fields (EMF) from Submarine Power Cables Can Trigger Strength-Dependent Behavioural and Physiological Responses in Edible Crab, *Cancer pagurus* (L.). *J. Mar. Sci. Eng.* 2021, 9, 776.
- Scottish and Southern Electricity Networks (SSEN) (2013). Orkney - Caithness 220 kV Link Marine Environmental Appraisal Volume 1: Main Report. https://marine.gov.scot/datafiles/lot/SHE_Orkney%20to%20Caithness/1%20Volume%201_Main%20Report.pdf [Accessed 02/05/2022].
- Scottish and Southern Energy (SSE) (2019). The Orkney Connection Project. <https://www.ssen-transmission.co.uk/projects/orkney/> [Accessed 29/03/2022].
- Scottish Environmental Protection Agency (SEPA) (2012). Water body information sheet for water body 200223 in North Highland. RBMP cycle 2009-2015. <https://www2.sepa.org.uk/waterbodydatasheets/PDF/2011/200223.pdf> [Accessed 08/04/2022].
- Scottish Environmental Protection Agency (SEPA) (2014). Land Use Planning System SEPA Guidance Note 17: Marine development and marine aquaculture planning guidance, Version 6.
- Scottish Environmental Protection Agency (SEPA) (2015). Scottish Bathing Waters 2014-2015.
- Scottish Environmental Protection Agency (SEPA) (2017). WFD Waterbody Classification 2007-2017. <https://www2.sepa.org.uk/WaterBodyDataSheets/> [Accessed 21/02/2022].
- Scottish Environmental Protection Agency (SEPA) (2019). Scotland's water environment 2019: A summary and progress report. https://www.sepa.org.uk/media/490771/191219_scotlands-water-environment-final.pdf [Accessed 21/02/2022].
- Scottish Environmental Protection Agency (SEPA) (2020). Supporting Guidance (WAT-SG-53). Environmental Quality Standards and Standards for Discharges to Surface Waters. Version 7.1 Released April 2020. <https://www.sepa.org.uk/media/152957/wat-sg-53-environmental-quality-standards-for-discharges-to-surface-waters.pdf> [Accessed 21/02/2022].
- Scottish Environmental Protection Agency (SEPA) (2021). WFD River Basin Management Plan Waterbody status. <https://www.sepa.org.uk/environment/water/river-basin-management-planning/> [Accessed 21/02/2022].
- Scottish Environmental Protection Agency (SEPA) (2022). Shellfish Biotoxin Risk Water Profiles from Environment Scotland. <https://www.environment.gov.scot/data/data-analysis/biotoxin-risk-management/> [Accessed 21/02/2022].
- Scottish Environmental Protection Agency (SEPA) (2022). Water Framework Directive (WFD) River Basin Management Plan (RBMP) Waterbody status. <https://www.sepa.org.uk/data-visualisation/water-environment-hub/> [Accessed 21/02/2022].
- Scottish Government (2008). Economic impacts of windfarms on Scottish tourism: research findings. <https://www.gov.scot/publications/economic-research-findings-economic-impacts-wind-farms-scottish-tourism/pages/1/> [Accessed 10/03/2022].
- Scottish Government (2011). Sectoral Marine Plan for Offshore Wind Energy (Blue Seas Green Energy). https://tethys.pnnl.gov/sites/default/files/publications/Blue_Seas_Green_Energy.pdf [Accessed 28/01/2022].
- Scottish Government (2013). Draft Sectoral Marine Plan for Offshore Wind Wave and Tidal energy in Scotland. <https://marine.gov.scot/information/draft-sectoral-marine-plans-wind-wave-and-tidal-2013> [Accessed 28/01/2022].

- Scottish Government (2014). National Planning Framework 3. ISBN: 9781784125424. 23 June 2014. <https://www.gov.scot/publications/national-planning-framework-3/> [Accessed 13/01/2022].
- Scottish Government (2014). Scottish Planning Policy. ISBN: 9781784125677. 18 December 2020. <https://www.gov.scot/publications/scottish-planning-policy/documents/> [Accessed 13/01/2022].
- Scottish Government (2015). Scotland's National Marine Plan – A Single Framework for Managing our Seas. ISBN: 9781785442148. 27 March 2015. <https://www.gov.scot/publications/scotlands-national-marine-plan/> [Accessed 28/01/2022].
- Scottish Government (2015). Update to the Fisheries Sensitivity Maps for British Waters. <https://www.webarchive.org.uk/wayback/archive/20150220013642/http://www.gov.scot/Topics/marine/science/MSInteractive/Themes/fish-fisheries/fsm> [Accessed 02/12/2021].
- Scottish Government (2016). Pilot Pentland Firth and Orkney Waters Marine Spatial Plan. ISBN: 9781785449581. 21 March 2016. <https://www.gov.scot/publications/pilot-pentland-firth-orkney-waters-marine-spatial-plan/> [Accessed 28/01/2022].
- Scottish Government (2017). Scotland's Energy Strategy: The Future of Energy in Scotland. ISBN: 9781788515276. 20 December 2017. <https://www.gov.scot/publications/scottish-energy-strategy-future-energy-scotland-9781788515276/> [Accessed 28/01/2022].
- Scottish Government (2018). Marine Scotland Consenting and Licensing Guidance for Offshore Wind, Wave and Tidal Energy Applications. <https://www.gov.scot/publications/marine-scotland-consenting-licensing-manual-offshore-wind-wave-tidal-energy-applications/> [Accessed 12/01/2022].
- Scottish Government (2019). Decommissioning of Offshore Renewable Energy Installations in Scottish Waters or in the Scottish Part of the Renewable Energy Zone under the Energy Act 2004. <https://www.gov.scot/publications/decommissioning-offshore-renewable-energy-installations-scottish-waters-scottish-part-renewable-energy-zone-under-energy-act-2004-guidance-notes-industry-scotland/documents/> [Accessed 28/03/2022].
- Scottish Government (2019). Offshore wind energy – draft sectoral marine plan: social and economic impact assessment. <https://www.gov.scot/publications/draft-sectoral-marine-plan-social-economic-impact-assessment/documents/> [Accessed 08/06/2022].
- Scottish Government (2020). Bathing water profiles from Environment Scotland. <https://www.environment.gov.scot/data/data-analysis/bathing-waters/> [Accessed 06/02/2022].
- Scottish Government (2020). Offshore Wind Policy Statement. ISBN: 9781800042377. 28 October 2020. <https://www.gov.scot/publications/offshore-wind-policy-statement/> [Accessed 28/01/2022].
- Scottish Government (2020). Productive: Living Resources – Salmon and Sea Trout Fishing. https://marine.gov.scot/sma/sites/default/files/sma2020_-_salmon_and_sea_trout_fishing_-_productive.pdf [Accessed 10/12/2021].
- Scottish Government (2020). Sectoral marine plan for offshore wind energy. From: Minister for Environment and Land Reform. Marine Scotland Directorate. ISBN: 9781800042421. 28 October 2020. <https://www.gov.scot/publications/sectoral-marine-plan-offshore-wind-energy/> [Accessed 13/01/2022].
- Scottish Government (2020). Sectoral Marine Plan: Regional Locational Guidance. <https://www.gov.scot/publications/sectoral-marine-plan-regional-locational-guidance/> [Accessed 27/03/2022].
- Scottish Government (2020). Streamlined ScotMER evidence map <https://www.gov.scot/publications/streamlined-scotmer-evidence-map/> [Accessed 02/12/2021].
- Scottish Government (2021) Salmon fishing: proposed river gradings for 2022 season. <https://www.gov.scot/publications/salmon-fishing-proposed-river-gradings-for-2022-season/> [Accessed 02/12/2021].

- Scottish Government (2021). Climate change emergency: representation from Scottish to UK Government. Letter from the First Minister to the Prime Minister. 12 August 2021. <https://www.gov.scot/publications/climate-change-emergency-representation-from-scottish-to-uk-government/> [Accessed 30/03/2022].
- Scottish Government (2021). COP26 - Scotland's priorities: First Minister's speech - 25 October 2021. First Minister Nicola Sturgeon sets out how Scotland can lead the world into the green revolution. <https://www.gov.scot/publications/first-ministers-speech-scotlands-priorities-cop26/> [Accessed 30/03/2022].
- Scottish Government (2021). Energy Strategy Position Statement. ISBN: 9781800047297. 16 March 2021. <https://www.gov.scot/publications/scotlands-energy-strategy-position-statement/> [Accessed 28/01/2022].
- Scottish Government (2022). Good Practice Guidance for Applications under Section 36 and 37 of the Electricity Act 1989. Energy Consents Unit, Scottish Government. July 2022 Updated Report. <https://www.gov.scot/publications/guidance-applicants-using-design-envelope-applications-under-section-36-electricity-act-1989/> [Accessed 25/07/2022].
- Scottish Government (2022): Energy Consents Unit Good Practice Guidance for Applications under Section 36 and 37 of the Electricity Act 1989. Updated July 2022. ISBN 9781804351185. <https://www.gov.scot/publications/good-practice-guidance-applications-under-sections-36-37-electricity-act-1989/documents/> [Accessed 22/07/2022].
- Scottish Government and Xodus Group Limited (2022). Good Practice Guidance for assessing fisheries displacement by other licensed marine activities: Literature Review. <https://www.gov.scot/publications/good-practice-guidance-assessing-fisheries-displacement-licensed-marine-activities/> [Accessed 05/07/2022].
- Scottish Government. (2022). Provisional Scottish Sea Fisheries Statistics 2021. <https://www.gov.scot/publications/provisional-scottish-sea-fisheries-statistics-2021/> [Accessed 03/06/2022].
- Scottish Natural Heritage (2016). Coastal Character Assessment: Orkney and North Caithness.
- Scottish Natural Heritage (2017). Guidance on Coastal Character Assessment.
- Scottish Natural Heritage (2017). Visual Representation of Wind Farms, Guidance (Version 2.2). (16.5.6.2)
- Scottish Natural Heritage (2017). Wild Land Description - East Halladale Flows. <https://www.nature.scot/doc/wild-land-areas-map-and-descriptions-2014> [Accessed 23/04/2022].
- Scottish Natural Heritage (2017). Wild Land Description – Hoy. <https://www.nature.scot/doc/wild-land-areas-map-and-descriptions-2014> [Accessed 23/04/2022].
- Scottish Natural Heritage (2018 - 2019). Draft Guidance for Assessing the Effects on Special Landscape Qualities.
- Scottish Natural Heritage (2018). Guidance for Assessing the Effects on Special Landscape Qualities' (16.4.7)
- Scottish Natural Heritage (2018). Guidance Note – Coastal Character Assessment Version 1a.
- Scottish Natural Heritage (SNH) (2014). Seasonal shelf-sea front mapping using satellite ocean colour to support development of the Scottish MPA network. Scottish Natural Heritage. Commissioned Report No. 538.
- Scottish Parliament (2004). Nature Conservation (Scotland) Act 2004. <https://www.legislation.gov.uk/asp/2004/6/contents> [Accessed 22/02/2022].
- Scottish Parliament (2010). Marine (Scotland) Act 2010. <https://www.legislation.gov.uk/asp/2010/5/contents> [Accessed 29/03/2022].
- Scottish Parliament (2011). Wildlife and Natural Environment (Scotland) Act 2011. <https://www.legislation.gov.uk/asp/2011/6/contents/enacted> [Accessed 18/03/2022].
- Scottish Parliament (2016). Scotland Act 2016. <https://www.legislation.gov.uk/ukpga/2016/11/section/62/enacted> [Accessed 16/03/2022].

- Seafish and UK Fisheries Economics Network (UKFEN) (2012). Best practice guidance for fishing industry financial and economic impact assessments. <https://www.yumpu.com/en/document/read/26166829/best-practice-guidance-for-fishing-industry-financial-and-seafish>. [Accessed 08/06/2022].
- Seafish. (2022). Fishing Gear Database. <https://www.seafish.org/responsible-sourcing/fishing-gear-database/> [Accessed 11/08/2022].
- Searle, K. R., Regan, C. E., Perrow, M. R., Butler, A., Rindorf, A., Harris, M. P., Newell, M. A., Wanless, S. & Daunt, F. (2022). Effects of a fishery closure and prey abundance on seabird diet and breeding success: implications for strategic fisheries management and seabird conservation. <https://masts.ac.uk/news/eight-new-reports-published-from-scottish-marine-energy-research-scotmer-programme/> [Accessed 04/08/2022].
- Searle, K., Mobbs, D., Daunt, F. and Butler, A. (2019). A population viability analysis modelling tool for seabird species. Natural England Commissioned Report No. 274.
- Searle, K.R., Mobbs, D., Butler, A., Bogdanova, M., Freeman, S., Wanless, S. & Daunt, F. (2014). Population Consequences of Displacement from Proposed Offshore Wind Energy Developments for Seabirds Breeding at Scottish SPAs (CR/2012/03). Report to Marine Science Scotland.
- Searle, K.R., Mobbs, D.C., Butler, A., Furness, R.W., Trinder, M.N. & Daunt, F. (2018). Finding out the fate of displaced birds (FCR/2015/19). Scottish Marine and Freshwater Science Volume 9 No: 08.
- SgurrEnergy Ltd (2014). RenewableUK Offshore wind and marine energy health and safety guidelines. 2014 (issue 2). https://cdn.ymaws.com/www.renewableuk.com/resource/collection/AE19ECA8-5B2B-4AB5-96C7-ECF3F0462F75/Offshore_Marine_HealthSafety_Guidelines.pdf [Accessed 29/03/2022].
- Sham, R.C.T., Tao, L.S.R., Mak, Y.K.Y., Yau, J.K.C., Wai, T.C., Ho, K.K.Y., ... & Leung, K.M.Y. (2020). Occurrence and trophic magnification profile of triphenyltin compounds in marine mammals and their corresponding food webs. *Environment International*, **137**: 105567.
- Sharples, J., Holt, J. and Wakelin, S. (2020) Impacts of climate change on shelf-sea stratification relevant to the coastal and marine environment around the UK. MCCIP Science Review 2020, 103–115.
- Shelmerdine R.L. and Mouat B. (2021): Mapping fisheries and habitats in the North and East Coast RIFG area. NAFC Marine Centre UHI report. pp. 70.
- Simec Atlantis (2020). Tidal Stream Projects MeyGen. <https://simecatlantis.com/projects/meygen/> [Accessed 11/04/2022].
- Simec Atlantis (2020). Tidal Stream Projects: Ness of Duncansby. <https://www.pentlandfirthrenewables.co.uk/portfolio/ness-of-duncansby/> [Accessed 11/04/2022].
- Sims, D.W., Fox, A.M., and Merrett, D.A. (2005). Basking shark occurrence off south-west England in relation to zooplankton abundance. *Journal of Fish Biology*, **51**(2): 436-440.
- Sims, D.W., Southall, E.J., Quayle, V.A., and Fox, A.M. (2000). Annual social behaviour of basking sharks associated with coastal front areas. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, **267**(1455): 1897-1904.
- Sinclair, R.R., Sparling, C.E. and Harwood, J. (2020). Review of Demographic Parameters and Sensitivity Analysis To Inform Inputs And Outputs Of Population Consequences Of Disturbance Assessments For Marine Mammals. *Scottish Marine and Freshwater Science*, **11**(14).
- Skinner, A., Young, M. and Hastie, L. (2003). Ecology of the Freshwater Pearl Mussel. *Conserving Natura 2000 Rivers Ecology Series No. 2 English Nature*, Peterborough.
- Skomal, G.B., Zeeman, S.I., Chisholm, J.H., Summers, E.L., Walsh, H.J., McMahon, K.W. and Thorrold, S.R., (2009). Transequatorial migrations by basking sharks in the western Atlantic Ocean. *Current Biology*, **19**(12): 1019-1022.
- Slingsby, J., Scott, B.E., Kregting, L., McIlvenny, J., Wilson, J., Yanez, M., Langlois, S. and Williamson, B.J. (2022). Using Unmanned Aerial Vehicle (UAV) Imagery to Characterise Pursuit-Diving Seabird Association With Tidal Stream Hydrodynamic Habitat Features. *Front. Mar. Sci.*, **9**: 820722.

- Smith, I.P., Jensen, A.C., Collins, K.J. and Matthey, E.L. (2001) Movement of wild European lobsters *Homarus gammarus* in natural habitat. *Marine Ecology Progress Series*. 222:177-186.
- Soulsby, R.L. (1997). Dynamics of marine sands. A manual for practical applications. Thomas Telford.
- Southall B.L., Bowles, A.E., Ellison, W.T., Finneran, J.J. and others (2007) Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals*, **33**: 411–522.
- Southall, B., Finneran, J.J., Reichmuth, C., Nachtigall, P.E., Ketten, D.R., Bowles, A.E., Ellison, W.T., Nowacek, D., and Tyack, P. (2019). Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects. *Aquatic Mammals*, **45**: 125-232.
- Southall, E.J., Sims, D.W., Metcalfe, J.D., Doyle, J.I., Fanshawe, S., Lacey, C., Shrimpton, J., Solandt, J.L. and Speedie, C.D. (2005). Spatial distribution patterns of basking sharks on the European shelf: preliminary comparison of satellite-tag geolocation, survey and public sightings data. *Marine Biological Association of the United Kingdom. Journal of the Marine Biological Association of the United Kingdom*, **85**(5): 1083.
- Sparling, C., Loneragan, M., and McConnell, B. (2016). Harbour seals (*Phoca vitulina*) around an operational tidal turbine in Strangford Narrows: No barrier effect but small changes in transit behaviour. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 1-11.
- Sparling, C.E., Seitz, A.C., Masden, E. and Smith, K. (2020). 2020 State of the Science Report, Chapter 3: Collision Risk for Animals around Turbines.
- Special Committee on Seals (SCOS) (2020). Scientific Advice on Matters Related to the Management of Seal Populations: 2020 Contents. <http://www.smru.st-andrews.ac.uk/files/2021/06/SCOS-2020.pdf> [Accessed 18/03/2022].
- Special Committee on Seals (SCOS). (2021). Scientific Advice on Matters Related to the Management of Seal Populations: 2020. Sea Mammal Research Unit, St. Andrews University. <http://www.smru.st-andrews.ac.uk/files/2022/08/SCOS-2021.pdf> [Accessed 18/03/2022].
- Spyroudi, A (2021). Carbon footprint of offshore wind farm components. ORE Catapult. https://ore.catapult.org.uk/wp-content/uploads/2021/04/Carbon-footprint-of-offshore-wind-farm-components_FINAL_AS-3.pdf [Accessed 04/05/2022].
- Stanton, C. (1998). Caithness and Sutherland, Landscape Character and Assessment; Scottish Natural Heritage [now NatureScot] Review No 103. SNH Publications Section: Perth.
- Statutory Nature Conservation Bodies (SNCB) (2014). Joint Response from the Statutory Nature Conservation Bodies to the Marine Scotland Science Avoidance Rate Review.
- Statutory Nature Conservation Bodies (SNCB) (2017). Joint SNCB Interim displacement advice notice, Advice on how to present assessment information on the extent and potential consequences of seabird displacement from Offshore Wind Farm (OWF) developments.
- Stephenson J R, Gingerich A J, Brown R S, Pflugrath B D, Deng Z, Carlson T J, Langeslay M J, Ahmann M L, Johnson R L, Seaburg A G (2010). Assessing barotrauma in neutrally and negatively buoyant juvenile salmonids exposed to simulated hydro-turbine passage using a mobile aquatic barotrauma laboratory. *Fisheries Research* Volume 106, Issue 3, December 2010, pp 271-278.
- Stoddard PK, Markham MR (2008). Signal Cloaking by Electric Fish. *Bioscience*. 2008;58(5):415-425. doi: 10.1641/B580508. PMID: 20209064; PMCID: PMC2832175.
- Stone, C.J., Webb, A., Barton, C., Ratcliffe, N., Reed, T., Tasker, M.L., Camphuysen, C.J. & Pienkowski, M.W. (1995). An Atlas of Seabird Distribution in North-west European Waters. Joint Nature Conservation Committee, Peterborough.
- Sustrans, National Cycle Networks (N.d). <https://www.sustrans.org.uk/national-cycle-network/>. [Accessed 27/07/2022].
- Swann, B. (2018). Seabird counts at North Caithness Cliffs SPA in 2015 and 2016 for Marine Renewables Casework. Scottish Natural Heritage Research Report No: 965.

- Taormina, B., Bald, J., Want, A., Thouzeau, G., Lejart, M., Desroy, N. & Carlier, A. 2018. A review of potential impacts of submarine power cables on the marine environment: Knowledge gaps, recommendations and future directions. *Renewable and Sustainable Energy Reviews* 96: 380-391. <https://www.sciencedirect.com/science/article/abs/pii/S1364032118305355> [Accessed 18/06/2022].
- Tethys (2021). Brims Tidal Array. <https://tethys.pnnl.gov/project-sites/brims-tidal-array> [Accessed 11/04/2022].
- Tethys (2021). EMEC Billia Croo Grid-Connected Wave Test Site. <https://tethys.pnnl.gov/project-sites/emec-billia-croo-grid-connected-wave-test-site> [Accessed 18/05/2022].
- Tethys (2021). MeyGen Tidal Energy Project – Phase I. <https://tethys.pnnl.gov/project-sites/meygen-tidal-energy-project-phase-i> [Accessed 29/03/2022].
- The Highland Council (THC) (2010). The Highland Coastal Development Strategy. https://www.highland.gov.uk/downloads/file/1062/highland_coastal_development_strategy [Accessed 13/01/2022].
- The Highland Council (THC) (2012). Highland-wide Local Development Plan, April 2012. https://www.highland.gov.uk/info/178/local_and_statutory_development_plans/199/highland-wide_local_development_plan [Accessed 13/01/2022].
- The Highland Council (THC) (2016). Aquaculture Planning guidance. https://www.highland.gov.uk/downloads/file/16929/aquaculture_planning_guidance [Accessed 29/03/2022].
- The Highland Council (THC) (2016). Visualisation Standards for Wind Energy Developments.
- The Highland Council (THC) (2018). Caithness and Sutherland Local Development Plan.
- The Highland Council (THC) (2018). Caithness and Sutherland Local Development Plan, Adopted, August 2018. https://www.highland.gov.uk/info/178/local_and_statutory_development_plans/283/caithness_and_sutherland_local_development_plan [Accessed 13/01/2022].
- The Highland Council in partnership with Scottish Natural Heritage (2011). Assessment of Highland Special Landscape Areas.
- Theede, H., Ponat, A., Hiroki, K. & Schlieper, C., (1969). Studies on the resistance of marine bottom invertebrates to oxygen-deficiency and hydrogen sulphide. *Marine Biology*, 2, 325-337.
- Thomas, H.J. (1955) Observations on the recaptures of tagged lobsters in Scotland. Marine Research. S.H. Department. Edinburgh. In- Mill, A., Dobby, H., Mclay, A. and Mesquita, C., (2009) Crab and Lobster Fisheries in Scotland: An overview and results of stock assessment, 2002-2005. Marine Scotland Science Internal Report 16/09.
- Thomas, R.J., Medeiros, R.J. & Pollard, A.L. (2006). Evidence for nocturnal inter-tidal foraging by European storm-petrels *Hydrobates pelagicus* during migration. *Atlantic seabirds*, **8(1/2)**: 87-96.
- Thompson, D. et al., (2019). The status of harbour seals (*Phoca vitulina*) in the UK. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 29(S1): 40 - 60. <https://onlinelibrary.wiley.com/doi/full/10.1002/aqc.3110> [Accessed 15/03/2022].
- Thompson, D., Hammond, P.S., Nicholas, K.S., and Fedak, M.A. (1991). Movements, diving and foraging behaviour of grey seals (*Halichoerus grypus*). *Journal of the Zoological Society of London*, **244**: 223-232.
- Thompson, D.J., Onoufriou, J., Brownlow, A. and Morris, C. (2015). Data based estimates of collision risk: an example based on harbour seal tracking data around a proposed tidal turbine array in the Pentland Firth. Scottish Natural Heritage.
- Thompson, P.M., Cheney, B., Ingram, S., Stevick, P., Wilson, B., and Hammond, P.S. (Eds). (2011). Distribution, abundance and population structure of bottlenose dolphins in Scottish waters. Scottish Government and Scottish Natural Heritage funded report. Scottish Natural Heritage Commissioned Report No. 354.

- Tinker, J., Lowe, J., Pardaens, A., Holt, J. and Barciela, R., (2016). Uncertainty in climate projections for the 21st century northwest European shelf seas. *Progress in Oceanography*, 148, 56-73.
- Tinker, J.P. and Howes, E.L. (2020) The impacts of climate change on temperature (air and sea), relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 1–32.
- Todd, V. L., W. D. Pearse, N. C. Tregenza, P. A. Lepper, and I. B. Todd. (2009). Diel echolocation activity of harbour porpoises (*Phocoena phocoena*) around North Sea offshore gas installations. *ICES Journal of Marine Science: Journal du Conseil*.
- Todd, V.L., Warley, J.C., and Todd, I.B. (2016). Meals on Wheels? A Decade of Megafaunal Visual and Acoustic Observations from Offshore Oil & Gas Rigs and Platforms in the North and Irish Seas. *PLoS ONE*, 11: e0153320.
- Tollit, D., Black, A., Thompson, P., Mackay, A., Corpe, H., Wilson, B., Parlane, S. (1998). Variations in harbour seal *Phoca vitulina* diet and dive-depths in relation to foraging habitat. *Journal of Zoology*, 244(2), 209-222. doi: 10.1111/j.1469-7998.1998.tb00026.x.
- Tonani, M., Ascione, A., Saulter, A., 2022. Ocean Physical Wave Analysis and Forecast Product Northwestshelf_Analysis_Forecast_Phy_004_013, Northwestshelf_Analysis_Forecast_Phy_004_014, Issue 1.3.
- Tougaard J, Hermannsen, L, Madsen P T (2020), How loud is the underwater noise from operating offshore wind turbines? *J. Acoust. Soc. Am.* 148 (5). doi.org/10.1121/10.0002453.
- Tougaard, J. (2015). Underwater Noise from a Wave Energy Converter Is Unlikely to Affect Marine Mammals. *PLoS ONE*, 10(7): e0132391. <https://doi.org/10.1371/journal.pone.0132391> [Accessed 09/06/2022].
- Tricas, T. and Sisneros, J., (2004). Ecological Functions and Adaptations of the Elasmobranch Electrosense. *The Senses of Fish*, pp.308-329
- Tyler-Walters, H., James, B., Carruthers, M. (eds.), Wilding, C., Durkin, O., Lacey, C., Philpott, E., Adams, L., Chaniotis, P.D., Wilkes, P.T.V., Seeley, R., Neilly, M., Dargie, J. & Crawford-Avis, O.T. (2016). Descriptions of Scottish Priority Marine Features (PMFs). Scottish Natural Heritage Commissioned Report No. 406.
- UK Fisheries Economics Network (UKFEN) (2012). Best practice guidance for fishing industry financial and economic impact assessments. <https://www.yumpu.com/en/document/read/26166829/best-practice-guidance-for-fishing-industry-financial-and-seafish> [Accessed 20/07/2022].
- UK Government (2011). UK Marine Policy Statement. 30 September 2011. <https://www.gov.uk/government/publications/uk-marine-policy-statement> [Accessed 28/01/2022].
- UK Government. (2017). The Conservation of Offshore Marine Habitats and Species Regulations 2017 (as amended) Protection of Wild Birds in UK Offshore Waters - Advice Notes. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/974309/Protection_of_Wild_Birds_Offshore_Advice_Notes_March_2021__002_.pdf#:~:text=The%20Conservation%20of%20Offshore%20Marine%20Habitats%20and%20Species [Accessed 15/03/2022].
- UK Parliament (1981). Wildlife and Countryside Act 1981. c. 5. <https://www.legislation.gov.uk/ukpga/1981/69/contents> [Accessed 10/04/2022].
- UK Parliament (1994). The Conservation (Natural Habitats, &c.) Regulations 1994. <https://www.legislation.gov.uk/uksi/1994/2716/contents/made> [Accessed 07/04/2022].
- UK Parliament (2004). Energy Act 2004. <https://www.legislation.gov.uk/ukpga/2004/20/contents> [Accessed 28/03/2022].
- UK Parliament (2007). Electricity (Offshore Generating Stations) (Safety Zones) (Application Procedures and Control of Access) Regulations 2007. <https://www.legislation.gov.uk/uksi/2007/1948/contents/made> [Accessed 28/03/2022].
- UK Parliament (2015). The Construction (Design and Management) Regulations 2015. <https://www.legislation.gov.uk/uksi/2015/51/made> [Accessed 26/06/2022].

- United Kingdom Hydrographic Office (UKHO) (2018). Admiralty Sailing Directions North Coast of Scotland Pilot NP52. 10th Edition. Taunton: UKHO.
- United Kingdom Hydrographic Office (UKHO) (2021). Admiralty Nautical Charts. Taunton: UKHO.
- United Nations (UN) (1982). United Nations Convention on the Law of the Sea.
- Vallejo, G.C., Grellier, K., Nelson, E.J., McGregor, R.M., Canning, S.J., Caryl, F.M. & McLean, N. (2017). Responses of two marine top predators to an offshore wind farm. *Ecological Evolution*, **7 (21)**: 8698-8708.
- Van Neer, A., Gross, S., Kesselring, T., Wohlsein, P., Leitzen, E., and Siebert, U. (2016). Behavioural and pathological insights into a case of active cannibalism by a grey seal (*Halichoerus grypus*) on Helgoland, Germany. *Journal of Sea Research*, **148-149**: 12-16.
- Vanermen, N., Onkelinx, T., Courtens, W., Van de walle, M., Verstaete, H. & Stienen, E.W.M. (2014). Seabird avoidance/attraction at an offshore wind farm in the Belgian part of the North Sea. *Hydrobiologia*, **756**: 51-61.
- Vanermen, N., Stienen, E.W.M, Courtens, W., Onkelinx, T., Van de walle, M. & Verstraete, H. (2013). Bird monitoring at offshore wind farms in the Belgian part of the North Sea. Inbo report.
- Verboom, W. (2014). Preliminary information on dredging and harbour porpoises. JunoBioacoustics.
- Vigfusdottir, F., Gunnarsson, T.G. & Gill, J.A. (2013). Annual and between-colony variation in productivity of Arctic terns in West Iceland. *Bird Study*, **60(3)**: 289-297.
- Von Benda-Beckmann, A. M., et al. (2015). Assessing the impact of underwater clearance of unexploded ordnance on harbour porpoises (*Phocoena phocoena*) in the southern North Sea. *Aquatic Mammals*, **41(4)**: 503.
- Wade, H.M., Masden E.A., Jackson A.C. & Furness R.W. (2016). Incorporating data uncertainty when estimating potential vulnerability of Scottish seabirds to marine renewable energy developments. *Marine Policy*, **70**: 108-113.
- Waggitt, J.J., Evans, P.G., Andrade, J., Banks, A.N., Boisseau, O., Bolton, M., Bradbury, G., Brereton, T., Camphuysen, C.J., Durinck, J. and Felce, T. (2020). Distribution maps of cetacean and seabird populations in the North-East Atlantic. *Journal of Applied Ecology*, **57(2)**: 253-269.
- Wanless, S., Harris, M. P., Newell, M. A., Speakman, J. R. & Daunt, F. (2018). Community-wide decline in the occurrence of lesser sandeels (*Ammodytes marinus*) in seabird chick diets at a North Sea colony. *Marine Ecology Progress Series*. **600**: 193-206
- Webb, A., Irwin, C. & Humphries, G. (2018). Distribution and abundance of basking sharks (*Cetorhinus maximus*) and minke whales (*Balaenoptera acutorostrata*) within the Sea of the Hebrides MPA proposal – a pilot digital aerial survey. Scottish Natural Heritage Research Report No. 974.
- Wenger, A., Harvey, E., Wilson, S., Rawson, C., Newman, S., Clarke, D., Saunders, B., Browne, N., Travers, M., McIlwain, J., Erfemeijer, P., Hobbs, J., Mclean, D., Depczynski, M. and Evans, R., (2017). A critical analysis of the direct effects of dredging on fish. *Fish and Fisheries*, **18(5)**, pp.967-985.
- Wyatt R. (2008) Joint Industry Programme on Sound and Marine Life - Review of Existing Data on Underwater Sounds Produced by the Oil and Gas Industry.
- Wessex Archaeology. (2011). Assessing Boats and Ships 1860-1913, 1914-1938, 1914-1938. Archaeological Desk-Based Assessment in 3 volumes. Wessex Archaeology: Salisbury.
- Whitehead P. J. P., (1985). FAO species catalogue. Clupeoid fishes of the world. An annotated and illustrated catalogue of the herrings, sardines, pilchards, sprats, anchovies and wolfherrings. vol. 7, part 1: Chirocentridae, Clupeidae and Pristigasteridae. FAO Fish. Synop., no. 125, Rome, 303 pp.
- Whitehouse, R. J. S., Sutherland J., and Harris, J. M. (2011). Evaluating scour at marine gravity structures. In *Maritime Engineering*, Volume 164 Issue 3, December 2011, pp 143-157.
- Whitehouse, R.J.S. (1998). Scour at marine structures: A manual for practical applications. Thomas Telford, London, 198 pp.

- Whittaker I.G. (1998). *Off Scotland: a comprehensive record of maritime and aviation losses in Scottish waters*. C-Anne Publishing: Edinburgh.
- Whyte, K., D. Russell, C. Sparling, B. Binnerts, and G. Hastie. (2020). Estimating the effects of pile-driving sounds on seals: Pitfalls and possibilities. *The Effects of Noise on Aquatic Life*, **14**: 3948-3958.
- Wilcox, C., Heathcote, G., Goldberg, J., Gunn, R., Peel, D., and Hardesty, B. D. (2015). Understanding the sources and effects of abandoned, lost, and discarded fishing gear on marine turtles in northern Australia. *Conservation Biology*, **29**(1): 198-206. doi: 10.1111/cobi.12355
- Wildfowl and Wetlands Trust (WWT). (2014). Strategic assessment of collision risk of Scottish offshore wind farms to migrating birds. *Scottish Marine and Freshwater Science Report Volume 5 No 12*. WWT report for Marine Scotland Science.
- Wilhelmsson, D., Malm, T. and Öhman, M., (2006). The influence of offshore windpower on demersal fish. *ICES Journal of Marine Science*, **63**(5), pp.775-784.
- Wilson, B., Thompson, P. M., & Hammond, P. S. (1997). Habitat Use by Bottlenose Dolphins: Seasonal Distribution and Stratified Movement Patterns in the Moray Firth, Scotland. *Journal of Applied Ecology*, **34**(6), 1365–1374. <https://doi.org/10.2307/2405254> [Accessed 12/05/2022].
- Witt, M.J., Hardy, T., Johnson, L., McClellan C.M., Pikesley, S.K., Ranger, S., Richardson, P.B., Solandt, J-L., Speedie, C., Williams, R., and Godley, B.J. (2012). Basking sharks in the northeast Atlantic: spatio-temporal trends from sightings in UK waters. *Marine Ecology Progress Series*, **459**: 121-134. <https://doi.org/10.3354/meps09737>. [Accessed 12/05/2022].
- Wolf, J., Woolf, D. and Bricheno, L. (2020) Impacts of climate change on storms and waves relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 132–157.
- Woodruff, D., Schultz, I., Marshall, K., Ward, J., and Cullinan, V. (2012). Effects of Electromagnetic Fields on Fish and Invertebrates Task 2.1.3: Effects on Aquatic Organisms Fiscal Year 2011 Progress Report. Report No. PNNL-20813. Report by Pacific Northwest National Laboratory for U.S. Department of Energy, Washington DC.
- Woodward, I., Thaxter, C.B., Owen, E. & Cook, A.S.C.P. (2019). Desk-based revision of seabird foraging ranges used for HRA screening. BTO research report No: 724.
- Wright, L.J., Ross-Smith, V.H., Austin, G.E., Massimino, D., Dadam, D., Cook, A.S.C.P., Calbrade, N.A. & Burton, N.H.K. (2012). Assessing the risk of offshore wind farm development to migratory birds designated as features of UK Special Protection Areas (and other Annex 1 species). BTO research report No: 592.
- Wright, P.J., Pinnegar, J.K. and Fox, C. (2020) Impacts of climate change on fish, relevant to the coastal and marine environment around the UK. *MCCIP Science Review 2020*, 354–381.
- Wright. P.J. & Bailey, M.C. (1996). Timing of hatching in *Ammodytes marinus* from Shetland waters and its significance to early growth and survivorship. *Marine Biology*, **126**: 143-152.
- Xodus Group Limited (2015). Brims Underwater Noise Assessment, Underwater Noise Assessment Report. L100183-S00, 1-69.
- Xodus Group Limited (2018). Orkney - Mainland Subsea Cable Link Report identifying additional studies required to support Orkney – Mainland subsea cable marine licence application. Scottish and Southern Energy plc. A-100413-S02-REPT-001. https://marine.gov.scot/sites/default/files/report_identifying_additional_studies_-_shet_-_orkney_to_caithness.pdf [Accessed 26/06/2022].
- Xodus Group Limited (2019). EMEC Billia Croo Test Site: Environmental Appraisal. https://tethys.pnnl.gov/sites/default/files/publications/BilliaCroo_XodusGroup_2019.pdf. [Accessed 24/05/2022].
- Xodus Group Limited (2021). SHEPD Construction Environmental Management Plan SHEPD Mainland Orkney -Hoy Cable Replacements. A-303128-S00-TECH-013.

Youngson, A (2017). Fishermen's Knowledge: Salmon in the Pentland Firth. <https://caithness.dsfb.org.uk/files/2017/06/FCRTThe-Fishmongers-Company-reportfinal-version.pdf> [Accessed 23/11/2021].

Youngson, A. (2022). 2021 Survey of Juvenile Salmonids in Caithness Rivers. Caithness District Salmon Fishery Board. <https://caithness.dsfb.org.uk/publications/> [Accessed 26/06/2022].

Zanzi, A, and Holmes, S. (2017): Fisheries data from DCF Fishing Effort Regimes data calls. European Commission, Joint Research Centre (JRC) <http://data.europa.eu/89h/9f8002cc-c6fc-4adb-86cd-466f935a7bda> [Accessed 11/01/2021]